

| ESTIMATION DPR |        |                 |           |              |          |                       |             |
|----------------|--------|-----------------|-----------|--------------|----------|-----------------------|-------------|
| <b>State</b>   | Odisha | <b>District</b> | Sambalpur | <b>Block</b> | Kuchinda | <b>Gram Panchayat</b> | Telitleimal |

|                         |  |  |  |  |  |  |  |
|-------------------------|--|--|--|--|--|--|--|
| <b>Work Code</b>        | OD/371/3562/121365/381575/00022880 (Const of Market Complex at Kaputikira, Telitleimal GP) |  |  |  |  |  |  |
| <b>Project Category</b> | Building   |  |  |  |  |  |  |

|                             |                            |                              |  |
|-----------------------------|----------------------------|------------------------------|--|
| <b>Financial Year</b>       | 2024-25                    | <b>Execution Level</b>       | PS   |
| <b>Executing Agency</b>     | Panchayat Samiti, Kuchinda | <b>Proposal Date</b>         | -  |
| <b>Date of Commencement</b> | 20-03-2026                 | <b>Date of Completion</b>    | -  |
| <b>Scheme Name</b>          | 5th SFC Grant in Aid       | <b>Scheme Component Name</b> | Creation of Capital Asset for Revenue Generation |
| <b>Project Sub-Category</b> | Market Complex             | <b>Project Type</b>          | New Work   |
| <b>Name of Executant</b>    | Prakash Kumar Ping         |                              |  |

### Administrative Approval Details

|                     |                                       |
|---------------------|---------------------------------------|
| <b>Approval No.</b> | OD/371/3562/121365/381575/00022880/AS |
|---------------------|---------------------------------------|

### Technical Sanction Details

|                                      |                                       |
|--------------------------------------|---------------------------------------|
| <b>Technical Sanction No.</b>        | OD/371/3562/121365/381575/00022880/TS |
| <b>Fund Sanction No.</b>             | 32                                    |
| <b>Fund Sanction Amount (in Rs.)</b> | 1000000                               |

### ACTIVITY STATEMENT

| S/N | ACTIVITY TAKEN | UNIT | QUANTITY | UNIT PRICE (IN RS.) | TOTAL (IN RS.) |
|-----|----------------|------|----------|---------------------|----------------|
|-----|----------------|------|----------|---------------------|----------------|

|   |  |     |           |            |                 |
|---|--|-----|-----------|------------|-----------------|
| 1 | <p><b>Earth Work (AR0102aa) : Earth work in hard soil or gravelly soil foundation &amp; plinth within 50m. Initial lead and 1.5m initial lift -</b><br/> Earth work in hard soil or gravelly soil foundation &amp; plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge</p> | Cum | 39.345    | 240.77592  | 9379.7511466269 |
| 2 | <p><b>Earth Work (AR0115) : Filling foundation and plinth with sand well watered and rammed -</b> Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T &amp; P required for the work etc. complete and as per direction of Engineer-in charge.</p>   | Cum | 52.590475 | 552.432832 | 9379.7511466269 |

|   |   |     |           |               |                 |
|---|---|-----|-----------|---------------|-----------------|
| 3 | <p><b>Concrete (AR0303) :<br/>Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal -</b> Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&amp;P required for the work etc. complete and as per direction of Engineer-in charge.</p>   | Cum | 12.11392  | 5335.0052643  | 9379.7511466269 |
| 4 | <p><b>Masonry Brick Work (AR0603c) :<br/>Flyash Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in foundation and plinth -</b> Brickwork with Flyash Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in foundation and plinth having crushing strength not less than 75.00 Kg/cm<sup>2</sup> with dimensional tolerance <math>\pm 8</math> percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&amp;P required for the work, etc. complete and as per direction of Engineer-in-charge.</p> | Cum | 35.621944 | 4951.96978784 | 9379.7511466269 |

|   |   |     |          |               |                 |
|---|---|-----|----------|---------------|-----------------|
| 5 | <p><b>Masonry Brick Work (AR0603ci) : Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure -</b><br/>         Brickwork with Flyash Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm<sup>2</sup> with dimensional tolerance <math>\pm 8</math> percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&amp;P required for the work, etc. complete and as per direction of Engineer-in-charge.</p> | Cum | 20.29152 | 4985.29978784 | 9379.7511466269 |
|---|---|-----|----------|---------------|-----------------|

|   |   |     |           |                |                 |
|---|---|-----|-----------|----------------|-----------------|
| 6 | <p><b>R.C.C. Work (AR0404B) : Reinforced cement concrete work of M-20 grade with 20mm &amp; downgrade size black hard crusher broken granite chips.(Nominal mix as per IS-456, Table-9). - R.C.C. work of M-20 grade with 20mm &amp; downgrade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&amp;P required for the work etc. complete and as per direction of Engineer-in charge(Nominal mix as per IS-456, Table-9).</b></p> | Cum | 24.050393 | 5579.975719451 | 9379.7511466269 |
|---|---|-----|-----------|----------------|-----------------|

|   |   |      |          |                 |                 |
|---|---|------|----------|-----------------|-----------------|
| 7 | <p><b>R.C.C. Work (AR0409) :</b><br/> <b>Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position -</b><br/> Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge.</p> | Qntl | 22.8475  | 8695.3194821    | 9379.7511466269 |
| 8 | <p><b>R.C.C. Work (AR0410c) :</b><br/> <b>R.C.C. foundation , plinth band and footings bases of columns mass concrete precast slabs etc -</b> Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. foundation, plinth band and footings bases of columns mass concrete precast slabs, etc</p>   | Sqm  | 43.45702 | 216.23489289764 | 9379.7511466269 |

|    |   |     |          |                 |                 |
|----|---|-----|----------|-----------------|-----------------|
| 9  | <p><b>R.C.C. Work (AR0410d) : Rigid and smooth centering and shuttering for R.C.C. works including false works and dismantling them after casting -</b><br/> Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. beams, column, girder and bressmer, etc.<br/> Data for 4.2sqm</p> | Sqm | 26.54614 | 1047.3822930467 | 9379.7511466269 |
| 10 | <p><b>R.C.C. Work (AR0410e) : Rigid and smooth centering and shuttering for R.C.C. works including false works and dismantling them after casting -</b><br/> Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. Lintels Data for 7.8 sqm</p>                                      | Sqm | 20.0733  | 499.15267251462 | 9379.7511466269 |

|    |  |     |         |               |                 |
|----|--|-----|---------|---------------|-----------------|
| 11 | <b>R.C.C. Work (AR0410a) : Centring &amp; Shuttering for R.C.C. floor and roof slabs, landings, balconies, projecting sun shades and chajjas - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. floor and roof slabs, landings, balconies, projecting sun shades and chajjas up to 4.3m height</b> | Sqm | 99.3273 | 662.689943368 | 9379.7511466269 |
|----|--|-----|---------|---------------|-----------------|

|    |  |     |       |                |                 |
|----|--|-----|-------|----------------|-----------------|
| 12 | <p><b>Flooring (AR0817aa) :</b><br/> <b>Fixing Vitrified tiles of premium grade having thickness 8mm to 10mm confirming to IS 13756 of size 600mmx600mm plain (Ivory) in dados skirting and risers of steps on 12mm thick cement plaster (1:3) -</b><br/> Fixing Vitrified tiles of premium grade having thickness 8mm to 10mm confirming to IS 13756 of size 600mmx600mm plain (Ivory) in dados skirting and risers of steps on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the Vitrified tiles including rubbing and polishing complete including cost of precast tiles.</p> | Sqm | 9.765 | 1520.120622836 | 9379.7511466269 |
|----|--|-----|-------|----------------|-----------------|

|    |   |     |          |               |                 |
|----|---|-----|----------|---------------|-----------------|
| 13 | <p><b>Other Building Items. (AR1901B) : Vitrified Tile 600mmx600mm Plain Ivory -</b><br/> Supplying, fitting &amp; fixing Vitrified Tile 600mmx600mm Plain Ivory in floors of size 600mm x 600 mm of approved make conforming IS:13755 laid on 20 mm thick cement mortar(1:4)and filling joints with white cement of approved quality including cost of all materials, taxes, labour, T&amp;P , etc. required for the work all complete as per direction of Engineer-in-charge(for new work only)</p> | Sqm | 54.3935  | 998.643459101 | 9379.7511466269 |
| 14 | <p><b>Other Building Items. (AR1902) : cement based wall putty (water based) -</b><br/> Finishing surface of walls with cement based wall putty (water based) of approved make and finished smooth and even surface to receive painting including cost of scaffolding staging charges with cost of all materials taxes,labour,T&amp;P,e tc.complete. and as per the direction of Engineer in Charge.</p>  | Sqm | 201.7185 | 79.21834      | 9379.7511466269 |

|    |  |     |         |               |                 |
|----|--|-----|---------|---------------|-----------------|
| 15 | <p><b>Plastering (AR1004) : 12mm thick cement plaster (1:6) over Brick work in inside - 12mm thick cement plaster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T &amp; P required for the work etc. comp.and as per direction of Engineer-in-charge.</b></p>              | Sqm | 128.755 | 167.008269826 | 9379.7511466269 |
| 16 | <p><b>Plastering (AR1014) : 16mm thick cement Plaster in CM (1:6) over brick work in inside. - 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T &amp; P required for the work etc comp.and as per direction of Engineer-in-charge.</b></p> | Sqm | 118.833 | 240.69132341  | 9379.7511466269 |

|   |  |     |          |                 |                 |
|---|--|-----|----------|-----------------|-----------------|
| 17  | <b>Painting (AR0901d) :</b><br><b>Priming one coat with inner surface primer of approved quality water-bound primer over plastering surfaces (Inner surface) -</b> Priming one coat with inner surface primer of approved quality water-bound primer over plastering surfaces including cost conveyance, taxes of all materials, labor and T&P required for the work complete as per direction of the Engineer-in-charge.  | Sqm | 201.7185 | 71.83248932951  | 9379.7511466269 |
| 18  | <b>Painting (AR0901di) :</b><br><b>Priming one coat with outer surface primer of approved quality water-bound primer over plastering surfaces(outer surface ) -</b> Priming one coat with outer surface primer of approved quality water-bound primer over plastering surfaces including cost conveyance, taxes of all materials, labor and T&P required for the work complete as per direction of the Engineer-in-charge. | Sqm | 128.755  | 72.849606979355 | 9379.7511466269 |
| <b>Total Amount (in Rs.): 985741.01801453</b> |  |     |          |                 |                 |

## LABOUR STATEMENT

| Sl.No. | Activity Name | Qty/unit(B=Analysis Basic Qty/HeaderUnit) | Quantity(Measurement Qty) | Unit |
|--------|---------------|---|---------------------------|------|
|--------|---------------|---|---------------------------|------|

|   |  |        |            |     |
|---|--|--------|------------|-----|
| 1 | <p><b>Earth Work (AR0102aa) : Earth work in hard soil or gravelly soil foundation &amp; plinth within 50m. Initial lead and 1.5m initial lift -</b><br/> Earth work in hard soil or gravelly soil foundation &amp; plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge</p> | -      | 39.345     | Cum |
| i | Un-Skilled   | 0.516  | 20.30202   | -   |
| 2 | <p><b>Earth Work (AR0115) : Filling foundation and plinth with sand well watered and rammed -</b> Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T &amp; P required for the work etc. complete and as per direction of Engineer-in charge.</p>   | -      | 52.590475  | Cum |
| i | Un-Skilled   | 0.1236 | 6.50018271 | -   |

|    |   |      |              |     |
|----|---|------|--------------|-----|
| 3  | <p><b>Concrete (AR0303) :<br/>Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal -</b><br/>Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&amp;P required for the work etc. complete and as per direction of Engineer-in charge.</p>   | -    | 12.11392     | Cum |
| i  | Skilled   | 0.18 | 2.1805056    | -   |
| ii | Un-Skilled  | 3.9  | 47.244288    | -   |
| 4  | <p><b>Masonry Brick Work (AR0603c) : Flyash Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in foundation and plinth</b><br/>- Brickwork with Flyash Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in foundation and plinth having crushing strength not less than 75.00 Kg/cm<sup>2</sup> with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&amp;P required for the work, etc. complete and as per direction of Engineer-in-charge.</p> | -    | 35.621944    | Cum |
| i  | Un-Skilled  | 2.96 | 105.44095424 | -   |

|   |     |   |      |            |     |
|---|-----|---|------|------------|-----|
|   | ii  | Skilled   | 1.05 | 37.4030412 | -   |
|   | iii | Highly-Skilled  | 0.35 | 12.4676804 | -   |
| 5 |     | <b>Masonry Brick Work (AR0603ci) : Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure -</b><br>Brickwork with Flyash Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm <sup>2</sup> with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge. | -    | 20.29152   | Cum |
|   | i   | Un-Skilled  | 2.96 | 60.0628992 | -   |
|   | ii  | Skilled   | 1.05 | 21.306096  | -   |
|   | iii | Highly-Skilled  | 0.35 | 7.102032   | -   |

|     |   |        |               |     |
|-----|---|--------|---------------|-----|
| 6   | <b>R.C.C. Work (AR0404B) :</b><br><b>Reinforced cement concrete work of M-20 grade with 20mm &amp; downgrade size black hard crusher broken granite chips.(Nominal mix as per IS-456, Table-9). -</b><br>R.C.C. work of M-20 grade with 20mm & downgrade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge(Nominal mix as per IS-456, Table-9). | -      | 24.050393     | Cum |
| i   | Un-Skilled  | 1.3333 | 32.0663889869 | -   |
| ii  | Skilled   | 0.1    | 2.4050393     | -   |
| iii | Semi-Skilled  | 0.0573 | 1.3780875189  | -   |

|     |   |       |          |      |
|-----|---|-------|----------|------|
| 7   | <p><b>R.C.C. Work (AR0409) : Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position -</b><br/> Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge.</p> | -     | 22.8475  | Qntl |
| i   | Un-Skilled  | 0.8   | 18.278   | -    |
| ii  | Highly-Skilled  | 0.3   | 6.85425  | -    |
| iii | Semi-Skilled  | 0.044 | 1.00529  | -    |
| 8   | <p><b>R.C.C. Work (AR0410c) : R.C.C. foundation , plinth band and footings bases of columns mass concrete precast slabs etc -</b><br/> Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. foundation, plinth band and footings bases of columns mass concrete precast slabs, etc</p>  | -     | 43.45702 | Sqm  |
| i   | Semi-Skilled  | 0.05  | 2.172851 | -    |

|    |    |  |                  |                 |     |
|----|----|--|------------------|-----------------|-----|
|    | ii | Skilled  | 0.05             | 2.172851        | -   |
| 9  |    | <b>R.C.C. Work (AR0410d) : Rigid and smooth centering and shuttering for R.C.C. works including false works and dismantling them after casting - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. beams, column, grider and bressmer, etc. Data for 4.2sqm</b> | -                | 26.54614        | Sqm |
|    | i  | Semi-Skilled   | 0.6547619047619  | 17.381401190476 | -   |
|    | ii | Skilled  | 0.6547619047619  | 17.381401190476 | -   |
| 10 |    | <b>R.C.C. Work (AR0410e) : Rigid and smooth centering and shuttering for R.C.C. works including false works and dismantling them after casting - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. Lintels Data for 7.8 sqm</b>                                 | -                | 20.0733         | Sqm |
|    | i  | Semi-Skilled   | 0.16025641025641 | 3.216875        | -   |
|    | ii | Skilled  | 0.16025641025641 | 3.216875        | -   |

|    |   |              |                   |                  |   |
|----|---|--------------|-------------------|------------------|---|
| 11 | <p><b>R.C.C. Work (AR0410a) : Centring &amp; Shuttering for R.C.C. floor and roof slabs, landings, balconies, projecting sun shades and chajjas</b> - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. floor and roof slabs, landings, balconies, projecting sun shades and chajjas up to 4.3m height</p>   | -            | 99.3273           | Sqm              |   |
|    | i   | Semi-Skilled | 0.305555555555556 | 30.3500083333333 | - |
|    | ii  | Skilled      | 0.305555555555556 | 30.3500083333333 | - |
| 12 | <p><b>Flooring (AR0817aa) : Fixing Vitrified tiles of premium grade having thickness 8mm to 10mm confirming to IS 13756 of size 600mmx600mm plain (Ivory) in dados skirting and risers of steps on 12mm thick cement plaster (1:3)</b> - Fixing Vitrified tiles of premium grade having thickness 8mm to 10mm confirming to IS 13756 of size 600mmx600mm plain (Ivory) in dados skirting and risers of steps on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the Vitrified tiles including rubbing and polishing complete including cost of precast tiles.</p> | -            | 9.765             | Sqm              |   |

|    |     |   |       |           |     |
|----|-----|---|-------|-----------|-----|
|    | i   | Highly-Skilled  | 0.325 | 3.173625  | -   |
|    | ii  | Un-Skilled  | 0.325 | 3.173625  | -   |
|    | iii | Semi-Skilled  | 0.76  | 7.4214    | -   |
| 13 |     | <b>Other Building Items. (AR1901B) :<br/>Vitrified Tile<br/>600mmx600mm Plain Ivory</b> - Supplying, fitting & fixing Vitrified Tile 600mmx600mm Plain Ivory in floors of size 600mm x 600 mm of approved make conforming IS:13755 laid on 20 mm thick cement mortar(1:4)and filling joints with white cement of approved quality including cost of all materials, taxes, labour, T&P , etc. required for the work all complete as per direction of Engineer-in-charge(for new work only) | -     | 54.3935   | Sqm |
|    | i   | Un-Skilled  | 0.216 | 11.748996 | -   |
|    | ii  | Highly-Skilled  | 0.216 | 11.748996 | -   |

|    |   |       |            |     |
|----|---|-------|------------|-----|
| 14 | <p><b>Other Building Items. (AR1902) : cement based wall putty (water based) -</b><br/> Finishing surface of walls with cement based wall putty (water based) of approved make and finished smooth and even surface to receive painting including cost of scaffolding staging charges with cost of all materials taxes,labour,T&amp;P,etc. complete. and as per the direction of Engineer in Charge.</p>            | -     | 201.7185   | Sqm |
| i  | Un-Skilled  | 0.057 | 11.4979545 | -   |
| ii | Skilled   | 0.05  | 10.085925  | -   |
| 15 | <p><b>Plastering (AR1004) : 12mm thick cement plaster (1:6) over Brick work in inside -</b> 12mm thick cement plaster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T &amp; P required for the work etc. comp.and as per direction of Engineer-in-charge.</p> | -     | 128.755    | Sqm |
| i  | Un-Skilled  | 0.12  | 15.4506    | -   |
| ii | Skilled   | 0.14  | 18.0257    | -   |

|    |  |                   |                 |     |
|----|--|-------------------|-----------------|-----|
| 16 | <p><b>Plastering (AR1014) :<br/>16mm thick cement<br/>Plaster in CM (1:6)<br/>over brick work in<br/>inside.</b> - 16mm thick<br/>cement Plaster in CM<br/>(1:6) over brick work in<br/>inside including racking<br/>out joints finishing<br/>smooth with proper<br/>plumb and line, curing<br/>for proper period with<br/>cost conveyance,<br/>royalty, taxes of all<br/>materials, labour and T<br/>&amp; P required for the<br/>work etc comp.and as<br/>per direction of<br/>Engineer-in-charge.</p> | -                 | 118.833         | Sqm |
| i  | Un-Skilled   | 0.24              | 28.51992        | -   |
| ii | Skilled  | 0.16              | 19.01328        | -   |
| 17 | <p><b>Painting (AR0901d) :<br/>Priming one coat with<br/>inner surface primer<br/>of approved quality<br/>water-bound primer<br/>over plastering<br/>surfaces (Inner<br/>surface)</b> - Priming one<br/>coat with inner surface<br/>primer of approved<br/>quality water-bound<br/>primer over plastering<br/>surfaces including cost<br/>conveyance, taxes of<br/>all materials, labor and<br/>T&amp;P required for the<br/>work complete as per<br/>direction of the<br/>Engineer-in-charge.</p>       | -                 | 201.7185        | Sqm |
| i  | Highly-Skilled   | 0.053763440860215 | 10.845080645161 | -   |
| ii | Un-Skilled   | 0.053763440860215 | 10.845080645161 | -   |

|    |  |                   |                |     |
|----|--|-------------------|----------------|-----|
| 18 | <b>Painting (AR0901di) : Priming one coat with outer surface primer of approved quality water-bound primer over plastering surfaces(outer surface ) - Priming one coat with outer surface primer of approved quality water-bound primer over plastering surfaces including cost conveyance, taxes of all materials, labor and T&amp;P required for the work complete as per direction of the Engineer-in-charge.</b> | -                 | 128.755        | Sqm |
| i  | Highly-Skilled   | 0.053763440860215 | 6.922311827957 | -   |
| ii | Un-Skilled   | 0.053763440860215 | 6.922311827957 | -   |

| SI.No.        | Labour Type    | Qty Unit        | Rate | Amount                 |
|---------------|----------------|-----------------|------|------------------------|
| 0             | Un-Skilled     | 378.05322111002 | 462  | 174660.58815283        |
| 1             | Skilled        | 163.54072262381 | 562  | 91909.886114581        |
| 2             | Highly-Skilled | 59.113975873118 | 612  | 36177.753234348        |
| 3             | Semi-Skilled   | 62.92591304271  | 512  | 32218.067477867        |
| <b>Total:</b> |                |                 |      | <b>334966.29497963</b> |

#### MATERIAL STATEMENT

| SI.No. | Activity Name/Material | Qty/unit (B=Analysis Basic Qty/Header Unit) | Quantity (Meaurement Qty) | Unit |
|--------|------------------------|---|---------------------------|------|
|--------|------------------------|---|---------------------------|------|

|     |  |      |            |         |
|-----|--|------|------------|---------|
| 1   | <p><b>Earth Work (AR0102aa) :.Earth work in hard soil or gravelly soil foundation &amp; plinth within 50m. Initial lead and 1.5m initial lift -</b><br/> Earth work in hard soil or gravelly soil foundation &amp; plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge</p>                                     | -    | 39.345     | Cum     |
| 2   | <p><b>Earth Work (AR0115) :.Filling foundation and plinth with sand well watered and rammed -</b> Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T &amp; P required for the work etc. complete and as per direction of Engineer-in charge.</p>   | -    | 52.590475  | Cum     |
| i)  | <p><b>BRM029 : Sand for filling and road blinding</b></p>  | 1    | 52.590475  | 1 Cum   |
| 3   | <p><b>Concrete (AR0303) :.Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal -</b><br/> Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&amp;P required for the work etc. complete and as per direction of Engineer-in charge.</p> | -    | 12.11392   | Cum     |
| i)  | <p><b>BRM340 : Cement</b></p>  | 2.29 | 27.7408768 | 1 Qntl. |
| ii) | <p><b>BRM028 : Screened and washed sharp sand for mortar</b></p>   | 0.48 | 5.8146816  | 1 Cum   |

|      |   |       |                  |          |
|------|---|-------|------------------|----------|
| iii) | <b>BRM044</b> : Granite Stone broken metal 40mm. size (Crusher broken)  | 0.96  | 11.6293632       | 1 Cum.   |
| 4    | <b>Masonry Brick Work (AR0603c) : Flyash Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in foundation and plinth</b><br>- Brickwork with Flyash Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in foundation and plinth having crushing strength not less than 75.00 Kg/cm <sup>2</sup> with dimensional tolerance $\pm 8$ percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge. | -     | <b>35.621944</b> | Cum      |
| i)   | <b>BRM006</b> : Fly ash bricks of 23 Cm. x 11 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm <sup>2</sup> with dimensional tolerance $\pm 2$ %   | 400   | 14248.7776       | 1000 Nos |
| ii)  | <b>BRM340</b> : Cement  | 0.672 | 23.937946368     | 1 Qntl.  |
| iii) | <b>BRM028</b> : Screened and washed sharp sand for mortar   | 0.28  | 9.97414432       | 1 Cum    |

|      |   |       |             |          |
|------|---|-------|-------------|----------|
| 5    | <p><b>Masonry Brick Work (AR0603ci) :.Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure -</b><br/> Brickwork with Flyash Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm<sup>2</sup> with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&amp;P required for the work, etc. complete and as per direction of Engineer-in-charge.</p> | -     | 20.29152    | Cum      |
| i)   | <p><b>BRMMR0025 :</b><br/> SCAFFOLDING CHARGES FOR BRICK MASONRY WORK</p>   | 1     | 20.29152    | 1 Cum    |
| ii)  | <p><b>BRM006 :</b> Fly ash bricks of 23 Cm. x 11 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm<sup>2</sup> with dimensional tolerance ± 2 %</p>   | 400   | 8116.608    | 1000 Nos |
| iii) | <p><b>BRM340 :</b> Cement</p>   | 0.672 | 13.63590144 | 1 Qntl.  |
| iv)  | <p><b>BRM028 :</b> Screened and washed sharp sand for mortar</p>  | 0.28  | 5.6816256   | 1 Cum    |

|      |  |        |                  |         |
|------|--|--------|------------------|---------|
| 6    | <p><b>R.C.C. Work (AR0404B)</b><br/> <b>:.Reinforced cement concrete work of M-20 grade with 20mm &amp; downgrade size black hard crusher broken granite chips.(Nominal mix as per IS-456, Table-9). -</b><br/> R.C.C. work of M-20 grade with 20mm &amp; downgrade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&amp;P required for the work etc. complete and as per direction of Engineer-in charge(Nominal mix as per IS-456, Table-9).</p> | -      | <b>24.050393</b> | Cum     |
| i)   | <p><b>BRM060</b> : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve &amp; retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)</p>  | 0.36   | 8.65814148       | 1 Cum.  |
| ii)  | <p><b>BRM052</b> : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve &amp; retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)</p>  | 0.54   | 12.98721222      | 1 Cum.  |
| iii) | <p><b>BRM340</b> : Cement</p>  | 3.4733 | 83.5342300069    | 1 Qntl. |
| iv)  | <p><b>BRM028</b> : Screened and washed sharp sand for mortar</p>   | 0.45   | 10.82267685      | 1 Cum   |

|     |  |         |              |         |
|-----|--|---------|--------------|---------|
| 7   | <b>R.C.C. Work (AR0409) :.Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position -</b><br>Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge. | -       | 22.8475      | Qntl    |
| i)  | <b>BRM162</b> : Binding Wire.  | 0.8     | 18.278       | 1 Kg.   |
| ii) | <b>BRM341</b> : Steel  | 1.05    | 23.989875    | 1 Qntl. |
| 8   | <b>R.C.C. Work (AR0410c) :.R.C.C. foundation , plinth band and footings bases of columns mass concrete precast slabs etc -</b><br>Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. foundation, plinth band and footings bases of columns mass concrete precast slabs, etc  | -       | 43.45702     | Sqm     |
| i)  | <b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)  | 0.00267 | 0.1160302434 | 1Cum.   |
| ii) | <b>BRM092</b> : Non-sal bullahs 75mm. mean dia of any length.  | 0.126   | 5.47558452   | 1Mtr.   |

|     |   |                    |                  |       |
|-----|---|--------------------|------------------|-------|
| 9   | <b>R.C.C. Work (AR0410d) :Rigid and smooth centering and shuttering for R.C.C. works including false works and dismantling them after casting - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. beams, column, grider and bressmer, etc. Data for 4.2sqm</b> | -                  | <b>26.54614</b>  | Sqm   |
| i)  | <b>BRM084</b> : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.  | 0.55238095238095   | 14.663582095238  | 1Mtr  |
| ii) | <b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)   | 0.0051904761904762 | 0.13778710761905 | 1Cum. |
| 10  | <b>R.C.C. Work (AR0410e) :Rigid and smooth centering and shuttering for R.C.C. works including false works and dismantling them after casting - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. Lintels Data for 7.8 sqm</b>                                 | -                  | <b>20.0733</b>   | Sqm   |
| i)  | <b>BRM094</b> : Non-sal bullahs 125mm. mean dia of any length.  | 0.26923076923077   | 5.40435          | 1Mtr. |
| ii) | <b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)   | 0.0052948717948718 | 0.10628555       | 1Cum. |

|     |   |                   |                   |       |
|-----|---|-------------------|-------------------|-------|
| 11  | <p><b>R.C.C. Work (AR0410a) :-Centring &amp; Shuttering for R.C.C. floor and roof slabs, landings,balconies, projecting sun shades and chajjas - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. floor and roof slabs, landings, balconies, projecting sun shades and chajjas up to 4.3m height</b></p>  | -                 | 99.3273           | Sqm   |
| i)  | <p><b>BRM084</b> : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.</p>   | 0.622222222222222 | 61.8036533333333  | 1Mtr  |
| ii) | <p><b>BRM104</b> : Non Sal wood scantling &amp; plants(Tentera, Kasi, Gamhari, Kuruma)</p>  | 0.005022222222222 | 0.498843773333333 | 1Cum. |
| 12  | <p><b>Flooring (AR0817aa) :-Fixing Vitrified tiles of premium grade having thickness 8mm to 10mm confirming to IS 13756 of size 600mmx600mm plain (Ivory) in dados skirting and risers of steps on 12mm thick cement plaster (1:3) - Fixing Vitrified tiles of premium grade having thickness 8mm to 10mm confirming to IS 13756 of size 600mmx600mm plain (Ivory) in dados skirting and risers of steps on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the Vitrified tiles including rubbing and polishing complete including cost of precast tiles.</b></p> | -                 | 9.765             | Sqm   |

|      |  |        |                |         |
|------|--|--------|----------------|---------|
| i)   | <b>BRM131</b> : Tiles up to Polished Vitrified floor tiles of premium grade having thickness 8 mm to 10mm confirming to IS 15622:2006 (Group-B la) of sizes Vitrified Tile 600mmx600mm Plain (Ivory)   | 1      | 9.765          | 1 Sqm.  |
| ii)  | <b>BRMMR0027</b> : Wax Polish  | 1      | 9.765          | 1 Sqm   |
| iii) | <b>BRM340</b> : Cement   | 0.1375 | 1.3426875      | 1 Qntl. |
| iv)  | <b>BRM028</b> : Screened and washed sharp sand for mortar  | 0.015  | 0.146475       | 1 Cum   |
| 13   | <b>Other Building Items. (AR1901B) :.Vitrified Tile 600mmx600mm Plain Ivory -</b><br>Supplying, fitting & fixing Vitrified Tile 600mmx600mm Plain Ivory in floors of size 600mm x 600 mm of approved make conforming IS:13755 laid on 20 mm thick cement mortar(1:4)and filling joints with white cement of approved quality including cost of all materials, taxes, labour, T&P , etc. required for the work all complete as per direction of Engineer-in-charge(for new work only) | -      | <b>54.3935</b> | Sqm     |
| i)   | <b>BRM174</b> : White Cement.  | 0.0076 | 0.4133906      | 1Qntl   |
| ii)  | <b>BRM340</b> : Cement   | 0.1074 | 5.8418619      | 1 Qntl. |
| iii) | <b>BRM028</b> : Screened and washed sharp sand for mortar  | 0.021  | 1.1422635      | 1 Cum   |
| iv)  | <b>BRM131</b> : Tiles up to Polished Vitrified floor tiles of premium grade having thickness 8 mm to 10mm confirming to IS 15622:2006 (Group-B la) of sizes Vitrified Tile 600mmx600mm Plain (Ivory)   | 1      | 54.3935        | 1 Sqm.  |

|     |  |        |          |         |
|-----|--|--------|----------|---------|
| 14  | <p><b>Other Building Items. (AR1902) :.cement based wall putty (water based) -</b><br/> Finishing surface of walls with cement based wall putty (water based) of approved make and finished smooth and even surface to receive painting including cost of scaffolding staging charges with cost of all materials taxes,labour,T&amp;P,etc. complete. and as per the direction of Engineer in Charge.</p>                         | -      | 201.7185 | Sqm     |
| i)  | <b>BRMMR0038</b> : Cement based putty  | 0.8    | 161.3748 | kg      |
| 15  | <p><b>Plastering (AR1004) :.12mm thick cement plaster (1:6) over Brick work in inside -</b> 12mm thick cement plaster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T &amp; P required for the work etc. comp.and as per direction of Engineer-in-charge.</p>              | -      | 128.755  | Sqm     |
| i)  | <b>BRM340</b> : Cement   | 0.0358 | 4.609429 | 1 Qntl. |
| ii) | <b>BRM028</b> : Screened and washed sharp sand for mortar  | 0.015  | 1.931325 | 1 Cum   |
| 16  | <p><b>Plastering (AR1014) :.16mm thick cement Plaster in CM (1:6) over brick work in inside. -</b> 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T &amp; P required for the work etc comp.and as per direction of Engineer-in-charge.</p> | -      | 118.833  | Sqm     |

|     |  |                   |                 |         |
|-----|--|-------------------|-----------------|---------|
| i)  | <b>BRM340</b> : Cement   | 0.043             | 5.109819        | 1 Qntl. |
| ii) | <b>BRM028</b> : Screened and washed sharp sand for mortar  | 0.018             | 2.138994        | 1 Cum   |
| 17  | <b>Painting(AR0901d)</b><br>:.Priming one coat with inner surface primer of approved quality water-bound primer over plastering surfaces (Inner surface) - Priming one coat with inner surface primer of approved quality water-bound primer over plastering surfaces including cost conveyance, taxes of all materials, labor and T&P required for the work complete as per direction of the Engineer-in-charge.  | -                 | <b>201.7185</b> | Sqm     |
| i)  | <b>BRM253</b> : Wall cement primer (I.S.I.) Water bound  | 0.084             | 16.944354       | 1 Ltr   |
| 18  | <b>Painting(AR0901di)</b><br>:.Priming one coat with outer surface primer of approved quality water-bound primer over plastering surfaces(outer surface ) - Priming one coat with outer surface primer of approved quality water-bound primer over plastering surfaces including cost conveyance, taxes of all materials, labor and T&P required for the work complete as per direction of the Engineer-in-charge. | -                 | <b>128.755</b>  | Sqm     |
| i)  | <b>BRM253</b> : Wall cement primer (I.S.I.) Water bound  | 0.090322580645161 | 11.629483870968 | 1 Ltr   |

| Sl.No. | Material Name | Qty            | Unit     | Rate    | Amount          |
|--------|---------------|----------------|----------|---------|-----------------|
| 1      | <b>BRM029</b> | 52.590475      | 1 Cum    | 411.11  | 21620.47017725  |
| 2      | <b>BRM340</b> | 165.7527520149 | 1 Qntl.  | 566.787 | 93946.505056269 |
| 3      | <b>BRM028</b> | 37.65218587    | 1 Cum    | 417.99  | 15738.237171801 |
| 4      | <b>BRM044</b> | 11.6293632     | 1 Cum.   | 1486.41 | 17286.001754112 |
| 5      | <b>BRM006</b> | 22365.3856     | 1000 Nos | 5.36398 | 119967.48105069 |

|                               |                  |                  |         |             |                 |
|-------------------------------|------------------|------------------|---------|-------------|-----------------|
| 6                             | <b>BRMMR0025</b> | 20.29152         | 1 Cum   | 33          | 669.62016       |
| 7                             | <b>BRM060</b>    | 8.65814148       | 1 Cum.  | 1955.08     | 16927.359244718 |
| 8                             | <b>BRM052</b>    | 12.98721222      | 1 Cum.  | 1918.7      | 24918.564086514 |
| 9                             | <b>BRM162</b>    | 18.278           | 1 Kg.   | 90          | 1645.02         |
| 10                            | <b>BRM341</b>    | 23.989875        | 1 Qntl. | 6429.527    | 154243.54903913 |
| 11                            | <b>BRM104</b>    | 0.85894667435238 | 1Cum.   | 58573.086   | 50311.157426256 |
| 12                            | <b>BRM092</b>    | 5.47558452       | 1Mtr.   | 229.106     | 1254.4892670391 |
| 13                            | <b>BRM084</b>    | 76.467235428571  | 1Mtr    | 250.166     | 19129.502418224 |
| 14                            | <b>BRM094</b>    | 5.40435          | 1Mtr.   | 240.106     | 1297.6168611    |
| 15                            | <b>BRM131</b>    | 64.1585          | 1 Sqm.  | 659.6011111 | 42319.017886509 |
| 16                            | <b>BRMMR0027</b> | 9.765            | 1 Sqm   | 8.5         | 83.0025         |
| 17                            | <b>BRM174</b>    | 0.4133906        | 1Qntl   | 2024.787    | 837.0279128022  |
| 18                            | <b>BRMMR0038</b> | 161.3748         | kg      | 30          | 4841.244        |
| 19                            | <b>BRM253</b>    | 28.573837870968  | 1 Ltr   | 159.27787   | 4551.1800338131 |
| <b>Total: 591587.04604622</b> |                  |                  |         |             |                 |

## ROYALTY STATEMENT

| SI.No. | Activity Name/Material   | Qty/unit (B=Analysis Basic Qty/Header Unit) | Quantity (Meaurement Qty) | Unit |
|--------|--|---|---------------------------|------|
| 1      | <b>Earth Work (AR0102aa) :.Earth work in hard soil or gravelly soil foundation &amp; plinth within 50m. Initial lead and 1.5m initial lift - Earth work in hard soil or gravelly soil foundation &amp; plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge</b> | -   | <b>39.345</b>             | Cum  |

|      |   |      |                  |         |
|------|---|------|------------------|---------|
| 2    | <b>Earth Work (AR0115)</b><br>:.Filling foundation and plinth with sand well watered and rammed - Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T & P required for the work etc. complete and as per direction of Engineer-in charge.  | -    | <b>52.590475</b> | Cum     |
| i)   | <b>BRM029</b> : Sand for filling and road blinding  | 1    | 52.590475        | 1 Cum   |
| 3    | <b>Concrete (AR0303)</b><br>:.Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge. | -    | <b>12.11392</b>  | Cum     |
| i)   | <b>BRM340</b> : Cement  | 2.29 | 27.7408768       | 1 Qntl. |
| ii)  | <b>BRM028</b> : Screened and washed sharp sand for mortar   | 0.48 | 5.8146816        | 1 Cum   |
| iii) | <b>BRM044</b> : Granite Stone broken metal 40mm. size (Crusher broken)  | 0.96 | 11.6293632       | 1 Cum.  |

|      |  |       |              |          |
|------|--|-------|--------------|----------|
| 4    | <p><b>Masonry Brick Work (AR0603c) :.Flyash Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in foundation and plinth</b><br/> - Brickwork with Flyash Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in foundation and plinth having crushing strength not less than 75.00 Kg/cm<sup>2</sup> with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&amp;P required for the work, etc. complete and as per direction of Engineer-in-charge.</p> | -     | 35.621944    | Cum      |
| i)   | <p><b>BRM006</b> : Fly ash bricks of 23 Cm. x 11 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm<sup>2</sup> with dimensional tolerance ± 2 %</p>  | 400   | 14248.7776   | 1000 Nos |
| ii)  | <p><b>BRM340</b> : Cement</p>  | 0.672 | 23.937946368 | 1 Qntl.  |
| iii) | <p><b>BRM028</b> : Screened and washed sharp sand for mortar</p>   | 0.28  | 9.97414432   | 1 Cum    |
| 5    | <p><b>Masonry Brick Work (AR0603ci) :.Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure -</b><br/> Brickwork with Flyash Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm<sup>2</sup> with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&amp;P required for the work, etc. complete and as per direction of Engineer-in-charge.</p>              | -     | 20.29152     | Cum      |

|      |   |        |                  |          |
|------|---|--------|------------------|----------|
| i)   | <b>BRM006</b> : Fly ash bricks of 23 Cm. x 11 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm <sup>2</sup> with dimensional tolerance $\pm$ 2 %   | 400    | 8116.608         | 1000 Nos |
| ii)  | <b>BRM340</b> : Cement  | 0.672  | 13.63590144      | 1 Qntl.  |
| iii) | <b>BRM028</b> : Screened and washed sharp sand for mortar   | 0.28   | 5.6816256        | 1 Cum    |
| 6    | <b>R.C.C. Work (AR0404B)</b><br>:.Reinforced cement concrete work of M-20 grade with 20mm & downgrade size black hard crusher broken granite chips.(Nominal mix as per IS-456, Table-9). - R.C.C. work of M-20 grade with 20mm & downgrade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge(Nominal mix as per IS-456, Table-9). | -      | <b>24.050393</b> | Cum      |
| i)   | <b>BRM060</b> : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)  | 0.36   | 8.65814148       | 1 Cum.   |
| ii)  | <b>BRM052</b> : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)  | 0.54   | 12.98721222      | 1 Cum.   |
| iii) | <b>BRM340</b> : Cement  | 3.4733 | 83.5342300069    | 1 Qntl.  |

|     |  |          |                 |         |
|-----|--|----------|-----------------|---------|
| iv) | <b>BRM028</b> : Screened and washed sharp sand for mortar  | 0.45     | 10.82267685     | 1 Cum   |
| 7   | <b>R.C.C. Work (AR0409) :.Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position -</b><br>Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge. | -        | <b>22.8475</b>  | Qntl    |
| i)  | <b>BRM341</b> : Steel  | 1.05     | 23.989875       | 1 Qntl. |
| 8   | <b>R.C.C. Work (AR0410c) :.R.C.C. foundation , plinth band and footings bases of columns mass concrete precast slabs etc -</b><br>Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. foundation, plinth band and footings bases of columns mass concrete precast slabs, etc  | -        | <b>43.45702</b> | Sqm     |
| i)  | <b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)  | 0.00267  | 0.1160302434    | 1Cum.   |
| ii) | <b>BRM092</b> : Non-sal bullahs 75mm. mean dia of any length.  | 0.000614 | 0.02668261028   | 1Mtr.   |

|     |   |                    |                  |       |
|-----|---|--------------------|------------------|-------|
| 9   | <b>R.C.C. Work (AR0410d) :Rigid and smooth centering and shuttering for R.C.C. works including false works and dismantling them after casting - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. beams, column, grider and bressmer, etc. Data for 4.2sqm</b> | -                  | <b>26.54614</b>  | Sqm   |
| i)  | <b>BRM084</b> : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.  | 0.0056666666666667 | 0.15042812666667 | 1Mtr  |
| ii) | <b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)   | 0.0051904761904762 | 0.13778710761905 | 1Cum. |
| 10  | <b>R.C.C. Work (AR0410e) :Rigid and smooth centering and shuttering for R.C.C. works including false works and dismantling them after casting - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. Lintels Data for 7.8 sqm</b>                                 | -                  | <b>20.0733</b>   | Sqm   |
| i)  | <b>BRM094</b> : Non-sal bullahs 125mm. mean dia of any length.  | 0.0035384615384615 | 0.0710286        | 1Mtr. |
| ii) | <b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)   | 0.0052948717948718 | 0.10628555       | 1Cum. |

|     |   |                    |                  |       |
|-----|---|--------------------|------------------|-------|
| 11  | <p><b>R.C.C. Work (AR0410a) :-Centring &amp; Shuttering for R.C.C. floor and roof slabs, landings,balconies, projecting sun shades and chajjas - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. floor and roof slabs, landings, balconies, projecting sun shades and chajjas up to 4.3m height</b></p>  | -                  | 99.3273          | Sqm   |
| i)  | <p><b>BRM084</b> : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.</p>   | 0.0076666666666667 | 0.7615093        | 1Mtr  |
| ii) | <p><b>BRM104</b> : Non Sal wood scantling &amp; plants(Tentera, Kasi, Gamhari, Kuruma)</p>  | 0.0050222222222222 | 0.49884377333333 | 1Cum. |
| 12  | <p><b>Flooring (AR0817aa) :-Fixing Vitrified tiles of premium grade having thickness 8mm to 10mm confirming to IS 13756 of size 600mmx600mm plain (Ivory) in dados skirting and risers of steps on 12mm thick cement plaster (1:3) - Fixing Vitrified tiles of premium grade having thickness 8mm to 10mm confirming to IS 13756 of size 600mmx600mm plain (Ivory) in dados skirting and risers of steps on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the Vitrified tiles including rubbing and polishing complete including cost of precast tiles.</b></p> | -                  | 9.765            | Sqm   |

|      |  |        |                |         |
|------|--|--------|----------------|---------|
| i)   | <b>BRM131</b> : Tiles up to Polished Vitrified floor tiles of premium grade having thickness 8 mm to 10mm confirming to IS 15622:2006 (Group-B la) of sizes Vitrified Tile 600mmx600mm Plain (Ivory)   | 1      | 9.765          | 1 Sqm.  |
| ii)  | <b>BRM340</b> : Cement   | 0.1375 | 1.3426875      | 1 Qntl. |
| iii) | <b>BRM028</b> : Screened and washed sharp sand for mortar  | 0.015  | 0.146475       | 1 Cum   |
| 13   | <b>Other Building Items. (AR1901B) :.Vitrified Tile 600mmx600mm Plain Ivory -</b><br>Supplying, fitting & fixing Vitrified Tile 600mmx600mm Plain Ivory in floors of size 600mm x 600 mm of approved make conforming IS:13755 laid on 20 mm thick cement mortar(1:4)and filling joints with white cement of approved quality including cost of all materials, taxes, labour, T&P , etc. required for the work all complete as per direction of Engineer-in-charge(for new work only) | -      | <b>54.3935</b> | Sqm     |
| i)   | <b>BRM174</b> : White Cement.  | 0.0076 | 0.4133906      | 1Qntl   |
| ii)  | <b>BRM340</b> : Cement   | 0.1074 | 5.8418619      | 1 Qntl. |
| iii) | <b>BRM028</b> : Screened and washed sharp sand for mortar  | 0.021  | 1.1422635      | 1 Cum   |
| iv)  | <b>BRM131</b> : Tiles up to Polished Vitrified floor tiles of premium grade having thickness 8 mm to 10mm confirming to IS 15622:2006 (Group-B la) of sizes Vitrified Tile 600mmx600mm Plain (Ivory)   | 1      | 54.3935        | 1 Sqm.  |

|     |  |        |          |         |
|-----|--|--------|----------|---------|
| 14  | <p><b>Other Building Items. (AR1902) :.cement based wall putty (water based) -</b><br/>Finishing surface of walls with cement based wall putty (water based) of approved make and finished smooth and even surface to receive painting including cost of scaffolding staging charges with cost of all materials taxes,labour,T&amp;P,etc.complete. and as per the direction of Engineer in Charge.</p>                           | -      | 201.7185 | Sqm     |
| 15  | <p><b>Plastering (AR1004) :.12mm thick cement plaster (1:6) over Brick work in inside -</b> 12mm thick cement plaster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T &amp; P required for the work etc. comp.and as per direction of Engineer-in-charge.</p>              | -      | 128.755  | Sqm     |
| i)  | <b>BRM340 : Cement</b>   | 0.0358 | 4.609429 | 1 Qntl. |
| ii) | <b>BRM028 : Screened and washed sharp sand for mortar</b>  | 0.015  | 1.931325 | 1 Cum   |
| 16  | <p><b>Plastering (AR1014) :.16mm thick cement Plaster in CM (1:6) over brick work in inside. -</b> 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T &amp; P required for the work etc comp.and as per direction of Engineer-in-charge.</p> | -      | 118.833  | Sqm     |
| i)  | <b>BRM340 : Cement</b>   | 0.043  | 5.109819 | 1 Qntl. |

|     |   |                   |                 |       |
|-----|---|-------------------|-----------------|-------|
| ii) | <b>BRM028</b> : Screened and washed sharp sand for mortar   | 0.018             | 2.138994        | 1 Cum |
| 17  | <b>Painting(AR0901d)</b> :.Priming one coat with inner surface primer of approved quality water-bound primer over plastering surfaces (Inner surface) - Priming one coat with inner surface primer of approved quality water-bound primer over plastering surfaces including cost conveyance, taxes of all materials, labor and T&P required for the work complete as per direction of the Engineer-in-charge.  | -                 | <b>201.7185</b> | Sqm   |
| i)  | <b>BRM253</b> : Wall cement primer (I.S.I.) Water bound   | 0.084             | 16.944354       | 1 Ltr |
| 18  | <b>Painting(AR0901di)</b> :.Priming one coat with outer surface primer of approved quality water-bound primer over plastering surfaces(outer surface ) - Priming one coat with outer surface primer of approved quality water-bound primer over plastering surfaces including cost conveyance, taxes of all materials, labor and T&P required for the work complete as per direction of the Engineer-in-charge. | -                 | <b>128.755</b>  | Sqm   |
| i)  | <b>BRM253</b> : Wall cement primer (I.S.I.) Water bound   | 0.090322580645161 | 11.629483870968 | 1 Ltr |

| S/N | Material Name | Qty         | Unit   | Royalty Rate | Amount          |
|-----|---------------|-------------|--------|--------------|-----------------|
| 1   | <b>BRM029</b> | 52.590475   | 1 Cum  | 78.75        | 4141.49990625   |
| 2   | <b>BRM028</b> | 37.65218587 | 1 Cum  | 78.75        | 2965.1096372625 |
| 3   | <b>BRM044</b> | 11.6293632  | 1 Cum. | 200.5        | 2331.6873216    |
| 4   | <b>BRM060</b> | 8.65814148  | 1 Cum. | 200.5        | 1735.95736674   |
| 5   | <b>BRM052</b> | 12.98721222 | 1 Cum. | 200.5        | 2603.93605011   |

**Total: 13778.190281963**

**ADDITION COMPONENT**

| <b>Sl.No.</b>  | <b>Item Name</b>                         | <b>Amount (in Rs.)</b> |
|--|--|------------------------|
| 1  | Provision for Contingency @<br>Rs. 10000 | Rs. 10000              |
| 2  | Display Citizen Board @<br>Rs. 4258.5    | Rs. 4258.5             |
| <b>Total Addition Component Amount (in Rs.): 14258.5</b> |  |                        |

**Total Net Amount (in Rs.): 999999.51801453**