

BILLING DPR

State	Odisha	District	Mayurbhanj	Block	Tiring	Gram Panchayat	Baddalima
--------------	--------	-----------------	------------	--------------	--------	-----------------------	-----------

Work Code	OD/365/3511/120398/387465/00079327 (CONST OF JAHIRA BOUNDARY WALL WITH GATE AT BALIASAHI)
Project Category	Other Infrastructure

Financial Year	2025-26	Execution Level	PS
Executing Agency	Panchayat Samiti, Tiring	Bill Status	1st Bill
Proposal Date	08-12-2025	Date of Commencement	10-02-2026
Date of Completion	30-04-2026	Scheme Name	Bikashita Gaon Bikashita Odisha
Scheme Component Name	Viksit Gaon Vikshit Odisha (VGVO)	Project Sub-Category	Boundary Wall
Project Type	New Work	Name of Executant	KARJI BASKEY

Administrative Approval Details

Approval No.	OD/365/3511/120398/387465/00079327/AS
---------------------	---------------------------------------

Technical Sanction Details

Technical Sanction No.	OD/365/3511/120398/387465/00079327/TS
Fund Sanction No.	9771
Fund Sanction Amount (in Rs.)	334553

ACTIVITY STATEMENT

S/N	ACTIVITY TAKEN	UNIT	QUANTITY	UNIT PRICE (IN RS.)	TOTAL (IN RS.)
1	Earth Work (AR0102aa) : Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift - Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge	Cum	30.375	240.77592	7313.56857
2	Earth Work (AR0115) : Filling foundation and plinth with sand well watered and rammed - Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T & P required for the work etc. complete and as per direction of Engineer-in charge.	Cum	6.075	918.386132	5579.1957519

3	Concrete (AR0303) : Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.	Cum	6.075	5921.0546333	35970.406897298
4	Plastering (AR1004) : 12mm thick cement plaster (1:6) over Brick work in inside - 12mm thick cement plaster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc. comp.and as per direction of Engineer-in-charge.	Sqm	97.2	175.736503986	17081.588187439
5	Plastering (AR1014) : 16mm thick cement Plaster in CM (1:6) over brick work in inside. - 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc comp.and as per direction of Engineer-in-charge.	Sqm	113.4	251.16883111	28482.545447874
6	R.C.C. Work (AR0410c) : R.C.C. foundation , plinth band and footings bases of columns mass concrete precast slabs etc - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. foundation, plinth band and footings bases of columns mass concrete precast slabs, etc	Sqm	21.6	216.55039071844	4677.4884395183
7	R.C.C. Work (AR0409) : Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position - Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge.	Qntl	2.988	8422.5743654	25166.652203815
8	Masonry Brick Work (AR0603bi) : Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure - Brickwork with Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm ² with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.	Cum	20.9325	5262.68824824	110161.22175628
9	Painting (AR0920) : Finishing wall two coats with plastic emulsion paint of approved shades on new work (Inside) - Finishing wall two coats with plastic emulsion paint of approved shades on new work to give an even shade including all costs of labor, Paint and Brushes required for the work, etc. complete and as per direction of the Engineer-in-charge.(Inside)	Sqm	178.2	94.7676397125	16887.593396767

10	Masonry Brick Work (AR0603b) : Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in foundation and plinth - Brickwork with Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in foundation and plinth having crushing strength not less than 75.00 Kg/cm ² with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.	Cum	9.234	5229.35824824	48287.894064248
11	R.C.C. Work (AR0404A) : Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge. (excluding centring and shuttering)	Cum	4.104	6117.748644861	25107.24043851
Total Amount (in Rs.): 324715.39515365					

LABOUR STATEMENT

Sl.No.	Activity Name	Qty/unit(B=Analysis Basic Qty/HeaderUnit)	Quantity(Measurement Qty)	Unit
1	Earth Work (AR0102aa) : Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift - Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge	-	30.375	Cum
i	Un-Skilled	0.516	15.6735	-
2	Earth Work (AR0115) : Filling foundation and plinth with sand well watered and rammed - Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T & P required for the work etc. complete and as per direction of Engineer-in charge.	-	6.075	Cum
i	Un-Skilled	0.1236	0.75087	-
3	Concrete (AR0303) : Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.	-	6.075	Cum
i	Skilled	0.18	1.0935	-
ii	Un-Skilled	3.9	23.6925	-

4	Plastering (AR1004) : 12mm thick cement plaster (1:6) over Brick work in inside - 12mm thick cement plaster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc. comp.and as per direction of Engineer-in-charge.	-	97.2	Sqm
i	Un-Skilled	0.12	11.664	-
ii	Skilled	0.14	13.608	-
5	Plastering (AR1014) : 16mm thick cement Plaster in CM (1:6) over brick work in inside. - 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc comp.and as per direction of Engineer-in-charge.	-	113.4	Sqm
i	Un-Skilled	0.24	27.216	-
ii	Skilled	0.16	18.144	-
6	R.C.C. Work (AR0410c) : R.C.C. foundation , plinth band and footings bases of columns mass concrete precast slabs etc - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. foundation, plinth band and footings bases of columns mass concrete precast slabs, etc	-	21.6	Sqm
i	Semi-Skilled	0.05	1.08	-
ii	Skilled	0.05	1.08	-
7	R.C.C. Work (AR0409) : Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position - Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge.	-	2.988	Qntl
i	Un-Skilled	0.8	2.3904	-
ii	Highly-Skilled	0.3	0.8964	-
iii	Semi-Skilled	0.044	0.131472	-
8	Masonry Brick Work (AR0603bi) : Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure - Brickwork with Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm ² with dimensional tolerance ± 8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.	-	20.9325	Cum
i	Un-Skilled	2.96	61.9602	-
ii	Skilled	1.05	21.979125	-
iii	Highly-Skilled	0.35	7.326375	-

9	Painting (AR0920) : Finishing wall two coats with plastic emulsion paint of approved shades on new work (Inside) - Finishing wall two coats with plastic emulsion paint of approved shades on new work to give an even shade including all costs of labor, Paint and Brushes required for the work, etc. complete and as per direction of the Engineer-in-charge.(Inside)	-	178.2	Sqm
i	Highly-Skilled	0.054	9.6228	-
ii	Un-Skilled	0.064	11.4048	-
10	Masonry Brick Work (AR0603b) : Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in foundation and plinth - Brickwork with Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in foundation and plinth having crushing strength not less than 75.00 Kg/cm2 with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.	-	9.234	Cum
i	Un-Skilled	2.96	27.33264	-
ii	Skilled	1.05	9.6957	-
iii	Highly-Skilled	0.35	3.2319	-
11	R.C.C. Work (AR0404A) : Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge. (excluding centring and shuttering)	-	4.104	Cum
i	Un-Skilled	1.3333	5.4718632	-
ii	Skilled	0.1	0.4104	-
iii	Semi-Skilled	0.0573	0.2351592	-

Sl.No.	Labour Type	Qty Unit	Rate	Amount
1	Un-Skilled	187.5567732	462	86651.2292184
2	Skilled	66.010725	562	37098.02745
3	Semi-Skilled	1.4466312	512	740.6751744
4	Highly-Skilled	21.077475	612	12899.4147
Total:				137389.3465428

MATERIAL STATEMENT

Sl.No.	Activity Name/Material	Qty/unit (B=Analysis Basic Qty/Header Unit)	Quantity (Meaurement Qty)	Unit
--------	------------------------	---	---------------------------------	------

1	Earth Work (AR0102aa) :.Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift - Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge	-	30.375	Cum
2	Earth Work (AR0115) :.Filling foundation and plinth with sand well watered and rammed - Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T & P required for the work etc. complete and as per direction of Engineer-in charge.	-	6.075	Cum
i)	BRM029 : Sand for filling and road blinding	1	6.075	1 Cum
3	Concrete (AR0303) :.Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.	-	6.075	Cum
i)	BRM340 : Cement	2.29	13.91175	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.48	2.916	1 Cum
iii)	BRM044 : Granite Stone broken metal 40mm. size (Crusher broken)	0.96	5.832	1 Cum.
4	Plastering (AR1004) :.12mm thick cement plster (1:6) over Brick work in inside - 12mm thick cement plster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc. comp.and as per direction of Engineer-in-charge.	-	97.2	Sqm
i)	BRM340 : Cement	0.0358	3.47976	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.015	1.458	1 Cum
5	Plastering (AR1014) :.16mm thick cement Plaster in CM (1:6) over brick work in inside. - 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc comp.and as per direction of Engineer-in-charge.	-	113.4	Sqm
i)	BRM340 : Cement	0.043	4.8762	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.018	2.0412	1 Cum
6	R.C.C. Work (AR0410c) :.R.C.C. foundation , plinth band and footings bases of columns mass concrete precast slabs etc - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. foundation, plinth band and footings bases of columns mass concrete precast slabs, etc	-	21.6	Sqm
i)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.00267	0.057672	1Cum.
ii)	BRM092 : Non-sal bullahs 75mm. mean dia of any length.	0.126	2.7216	1Mtr.

7	R.C.C. Work (AR0409) :.Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position - Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge.	-	2.988	Qntl
i)	BRM162 : Binding Wire.	0.8	2.3904	1 Kg.
ii)	BRM341 : Steel	1.05	3.1374	1 Qntl.
8	Masonry Brick Work (AR0603bi) :.Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure - Brickwork with Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm2 with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.	-	20.9325	Cum
i)	BRMMR0025 : SCAFFOLDING CHARGES FOR BRICK MASONRY WORK	1	20.9325	1 Cum
ii)	BRM340 : Cement	0.672	14.06664	1 Qntl.
iii)	BRM028 : Screened and washed sharp sand for mortar	0.28	5.8611	1 Cum
iv)	BRM005 : Fly ash bricks of 25 Cm. x 12 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm2 with dimensional tolerance ± 2 %	350	7326.375	1000 Nos
9	Painting(AR0920) :.Finishing wall two coats with plastic emulsion paint of approved shades on new work (Inside) - Finishing wall two coats with plastic emulsion paint of approved shades on new work to give an even shade including all costs of labor, Paint and Brushes required for the work, etc. complete and as per direction of the Engineer-in-charge.(Inside)	-	178.2	Sqm
i)	BRM140 : Plastic Emulsion paint	0.125	22.275	1 Litre
10	Masonry Brick Work (AR0603b) :.Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in foundation and plinth - Brickwork with Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in foundation and plinth having crushing strength not less than 75.00 Kg/cm2 with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.	-	9.234	Cum
i)	BRM340 : Cement	0.672	6.205248	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.28	2.58552	1 Cum
iii)	BRM005 : Fly ash bricks of 25 Cm. x 12 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm2 with dimensional tolerance ± 2 %	350	3231.9	1000 Nos
11	R.C.C. Work (AR0404A) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge. (excluding centring and shuttering)	-	4.104	Cum
i)	BRM340 : Cement	3.4733	14.2544232	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	1.8468	1 Cum

iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	1.47744	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	2.21616	1 Cum.

Sl.No.	Material Name	Qty	Unit	Rate	Amount
1	BRM029	6.075	1 Cum	661.94	4021.2855
2	BRM340	56.7940212	1 Qntl.	644.677	36613.799205152
3	BRM028	16.70862	1 Cum	668.36	11167.3732632
4	BRM044	5.832	1 Cum.	1596.76	9312.30432
5	BRM104	0.057672	1Cum.	58668.206	3383.512776432
6	BRM092	2.7216	1Mtr.	324.226	882.4134816
7	BRM162	2.3904	1 Kg.	90	215.136
8	BRM341	3.1374	1 Qntl.	6213.387	19493.8803738
9	BRMMR0025	20.9325	1 Cum	33	690.7725
10	BRM005	10558.275	1000 Nos	6.4531	68133.6044025
11	BRM140	22.275	1 Litre	249.70677	5562.21830175
12	BRM060	1.47744	1 Cum.	1721.11	2542.8367584
13	BRM052	2.21616	1 Cum.	1723.4	3819.330144
Total: 165838.46702683					

ROYALTY STATEMENT

S/N	Material Name	Qty	Unit	Royalty Rate	Amount
1	BRM029	6.075	1 Cum	190.25	1155.76875
2	BRM028	16.70862	1 Cum	190.25	3178.814955
3	BRM044	5.832	1 Cum.	299.5	1746.684
4	BRM060	1.47744	1 Cum.	475.5	702.52272
5	BRM052	2.21616	1 Cum.	475.5	1053.78408
Total: 7837.574505					

ADDITION COMPONENT

Sl.No.	Item Name	Amount (in Rs.)
1	Display Citizen Board @ Rs. 5000	Rs. 5000
2	Any Other Lumpsum @ Rs. 4500	Rs. 4500
3	Contingency @ Rs. 337	Rs. 337
Total Addition Component Amount (in Rs.): 9837		

DEDUCTION COMPONENT

Sl.No.	Item Name	Amount (in Rs.)
1	Contingency @ Rs. 337	Rs. 337
2	Royalty @ Rs. 2035.7547	Rs. 2036
3	Additional Royalty @ Rs. 5496.4566	Rs. 5496
4	EMF @ Rs. 101.787735	Rs. 102
5	DMF @ Rs. 203.57547	Rs. 204
6	Empty Gunny Bag @ Rs. 457.62	Rs. 458
7	Labour Cess @ Rs. 3345	Rs. 3345
		Total Deduction Component Amount (in Rs.): 11978

Total Net Amount (in Rs.): 322574.40