

ESTIMATION DPR							
State	Odisha	District	Koraput	Block	Borigumma	Gram Panchayat	B Andiguda

Work Code	OD/363/3468/275089/428266/00037624 (Provision of facilities at GP Headquarters at Bandiguda)						
Project Category	Building						

Financial Year	2025-26	Execution Level	PS
Executing Agency	Panchayat Samiti, Borigumma	Proposal Date	-
Date of Commencement	25-02-2026	Date of Completion	-
Scheme Name	5th SFC Grant in Aid	Scheme Component Name	Provision of Facilities at GP Head Quarter
Project Sub-Category	GP Bhawan	Project Type	New Work
Name of Executant	GOKULA CHANDRA NAYAK		

Administrative Approval Details

Approval No.	OD/363/3468/275089/428266/00037624/AS
---------------------	---------------------------------------

Technical Sanction Details

Technical Sanction No.	OD/363/3468/275089/428266/00037624/TS
Fund Sanction No.	33921
Fund Sanction Amount (in Rs.)	1000000

ACTIVITY STATEMENT

S/N	ACTIVITY TAKEN	UNIT	QUANTITY	UNIT PRICE (IN RS.)	TOTAL (IN RS.)
-----	----------------	------	----------	---------------------	----------------

1	<p>R.C.C. Work (AR0404Ac) : First Floor - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge. (RCC Beams, Column, Girder & Bressmer etc)</p>	Cum	4.46315	15914.134629676	10284.75
2	<p>R.C.C. Work (AR0404Ad) : First Floor - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Lintels)</p>	Cum	1.500405	14250.736692378	10284.75

3	<p>R.C.C. Work (AR0404Ag) : First Floor - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Roof slab, landing, balcony, sun shade)</p>	Cum	8.11881	13816.410394572	10284.75
4	<p>R.C.C. Work (AR0404Af) : First Floor - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Sun sheds & Chajja)</p>	Sqm	6.15	8259.6663773132	10284.75

5	<p>Concrete (AR0317) : First floor - 2.5 cm thick grading concrete (1:2:2) on roof slab with 6mm size hard granite chips including hoisting and laying in position compacting and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete as per specification and direction of Engineer-in-charge. (new work)</p>	Sqm	81.1881	389.2876934788	10284.75
6	<p>Masonry Brick Work (AR0603ei) : First floor - Brickwork with C.B. Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm² with dimensional tolerance ± 8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.</p>	Cum	25.886155	5355.634220592	10284.75

7	<p>R.C.C. Work (AR0409) : First floor - Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge.</p>	Qntl	14.5	8712.2164387	10284.75
8	<p>Plastering (AR1004) : First Floor - 12mm thick cement plaster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc. comp.and as per direction of Engineer-in-charge.</p>	Sqm	103.32	179.2963330988	10284.75

9	<p>Plastering (AR1014) : First Floor - 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc comp.and as per direction of Engineer-in-charge.</p>	Sqm	188.7	256.645564998	10284.75
10	<p>Flooring (AR0816) : First floor - Fixing ceramic Tiles (30cmx30cm / 40cmx40cm special plain/printed series ceramic floor tiles of premium grade having thickness 7mm to 8mm confirming to IS 13755) in floor , treads or steps and landing on a 25mm thick bed of cement mortar 1:1 (1cement: 1sand) jointed with neat cement slurry mixed with pigment to match the shades of the ceramic tiles including rubbing and polishing, cost of precast tiles complete as per direction of Enginer-in-charge.</p>	Sqm	10.5	1225.4122070492	10284.75

11	<p>Flooring (AR0817b) : First floor - Fixing ceramic tiles (20cmx30cm / 20cmx20cm special plain/printed series ceramic wall tiles of premium grade having thickness 6.5mm to 6.7mm confirming to IS 13753) in wall cladding on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the ceramic tiles including rubbing and polishing, cost of precast tiles complete as per direction of Engineer-in-charge.</p>	Sqm	23.5	904.447561956	10284.75
12	<p>Flooring (AR0817aak) : First Floor - Fixing Vitrified tiles of premium grade having thickness 8mm to 10mm confirming to IS 13756 of size 600mmx600mm plain (Ivory) in dados, skirting and risers of steps on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the Vitrified tiles including rubbing and polishing complete including cost of precast tiles(For repair and maintenance).</p>	Sqm	60.878	1588.944155956	10284.75

13	<p>Other Building Items. (AR1902) : First Floor - Finishing surface of walls with cement based wall putty (water based) of approved make and finished smooth and even surface to receive painting including cost of scaffolding staging charges with cost of all materials taxes,labour,T&P,etc.complete. and as per the direction of Engineer in Charge.</p>	Sqm	256.662	80.8676902	10284.75
14	<p>Painting (AR0901d) : First Floor - Priming one coat with inner surface primer of approved quality water-bound primer over plastering surfaces including cost conveyance, taxes of all materials, labor and T&P required for the work complete as per direction of the Engineer-in-charge.</p>	Sqm	359.982	73.597201188671	10284.75
15	<p>Painting (AR0920) : First Floor - Finishing wall two coats with plastic emulsion paint of approved shades on new work to give an even shade including all costs of labor, Paint and Brushes required for the work, etc. complete and as per direction of the Engineer-in-charge.(Inside)</p>	Sqm	359.98	96.672410075	10284.75

16	<p>Other Building Items. (AR1907) : aluminum sliding window (sliding type) - Supplying, fitting, fixing up window (sliding type) made up aluminum Section 9778,as windows frame, section No. 4095,4096 and 9777, 3994 as shutter frame with 5mm thick black glass as panel fitted with rubber beading including locking arrangement including all fitting including cost of materials all taxes labour, T&P etc. complete as per direction of Engineer-incharge.</p>	Sqm	4.32	4152.7950064027	10284.75
----	---	-----	------	-----------------	----------

17	<p>miscellaneous (ARM291) : Supplying and fixing of Wall paneling made of aluminum anodised section framing conforming to standard Aluminium sections as horizontal and vertical members with atleast 600mm c/c and fixing of 9mm thick BWR ply with 4mm thick veneer pasting finished with -</p> <p>Supplying and fixing of Wall paneling made of aluminum anodised section framing conforming to standard Aluminium sections as horizontal and vertical members with atleast 600mm c/c and fixing of 9mm thick BWR ply with 4mm thick veneer pasting finished with melamine polishing complete. (New miscellaneous items) and as directed by Engineer-in-Charge.</p>	Sqm	4.5	2285.5	10284.75
Total Amount (in Rs.): 860029.54260506					

LABOUR STATEMENT

SI.No.	Activity Name	Qty/unit(B=Analysis Basic Qty/HeaderUnit)	Quantity(Measurement Qty)	Unit
--------	---------------	---	---------------------------	------

1	<p>R.C.C. Work (AR0404Ac) : First Floor - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge. (RCC Beams, Column, Girder & Bressmer etc)</p>	-	4.46315	Cum
i	Un-Skilled	1.533295	6.84332557925	-
ii	Skilled	6.4015	28.570854725	-
iii	Semi-Skilled	6.352395	28.35169174425	-
2	<p>R.C.C. Work (AR0404Ad) : First Floor - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Lintels)</p>	-	1.500405	Cum

	i	Un-Skilled	1.533295	2.300563484475	-
	ii	Skilled	2.8075	4.2123870375	-
	iii	Semi-Skilled	2.758395	4.138709649975	-
3		R.C.C. Work (AR0404Ag) : First Floor - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Roof slab, landing, balcony, sun shade)	-	8.11881	Cum
	i	Un-Skilled	1.533295	12.44853077895	-
	ii	Skilled	3.7813	30.699656253	-
	iii	Semi-Skilled	3.732195	30.30098208795	-

4	<p>R.C.C. Work (AR0404Af) : First Floor - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Sun sheds & Chajja)</p>	-	6.15	Sqm
	i Un-Skilled	0.0958309375	0.589360265625	-
	ii Skilled	3.6371875	22.368703125	-
	iii Semi-Skilled	3.6341184375	22.349828390625	-
5	<p>Concrete (AR0317) : First floor - 2.5 cm thick grading concrete (1:2:2) on roof slab with 6mm size hard granite chips including hoisting and laying in position compacting and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete as per specifaion and direction of Engineer-in charge. (new work)</p>	-	81.1881	Sqm
	i Un-Skilled	0.414	33.6118734	-

	ii	Highly-Skilled	0.115	9.3366315	-
6		Masonry Brick Work (AR0603ei) : First floor - Brickwork with C.B. Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm ² with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.	-	25.886155	Cum
	i	Un-Skilled	3.565	92.284142575	-
	ii	Skilled	1.2075	31.2575321625	-
	iii	Highly-Skilled	0.4025	10.4191773875	-
7		R.C.C. Work (AR0409) : First floor - Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge.	-	14.5	Qntl
	i	Un-Skilled	0.84	12.18	-

	ii	Highly-Skilled	0.315	4.5675	-
	iii	Semi-Skilled	0.0462	0.6699	-
8		Plastering (AR1004) : First Floor - 12mm thick cement plaster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc. comp.and as per direction of Engineer-in-charge.	-	103.32	Sqm
	i	Un-Skilled	0.1236	12.770352	-
	ii	Skilled	0.1442	14.898744	-
9		Plastering (AR1014) : First Floor - 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc comp.and as per direction of Engineer-in-charge.	-	188.7	Sqm
	i	Un-Skilled	0.2472	46.64664	-
	ii	Skilled	0.1648	31.09776	-

10	<p>Flooring (AR0816) : First floor - Fixing ceramic Tiles (30cmx30cm / 40cmx40cm special plain/printed series ceramic floor tiles of premium grade having thickness 7mm to 8mm confirming to IS 13755) in floor , treads or steps and landing on a 25mm thick bed of cement mortar 1:1 (1cement: 1sand) jointed with neat cement slurry mixed with pigment to match the shades of the ceramic tiles including rubbing and polishing, cost of precast tiles complete as per direction of Engineer-in-charge.</p>	-	10.5	Sqm
	i Un-Skilled	0.2268	2.3814	-
	ii Highly-Skilled	0.2268	2.3814	-
	iii Semi-Skilled	0.5775	6.06375	-
11	<p>Flooring (AR0817b) : First floor - Fixing ceramic tiles (20cmx30cm / 20cmx20cm special plain/printed series ceramic wall tiles of premium grade having thickness 6.5mm to 6.7mm confirming to IS 13753) in wall cladding on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the ceramic tiles including rubbing and polishing, cost of precast tiles complete as per direction of Engineer-in-charge.</p>	-	23.5	Sqm

	i	Un-Skilled	0.34125	8.019375	-
	ii	Highly-Skilled	0.34125	8.019375	-
12		Flooring (AR0817aak) : First Floor - Fixing Vitrified tiles of premium grade having thickness 8mm to 10mm confirming to IS 13756 of size 600mmx600mm plain (Ivory) in dados, skirting and risers of steps on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the Vitrified tiles including rubbing and polishing complete including cost of precast tiles(For repair and maintenance).	-	60.878	Sqm
	i	Highly-Skilled	0.34775	21.1703245	-
	ii	Un-Skilled	0.34775	21.1703245	-
	iii	Semi-Skilled	0.8132	49.5059896	-

13	<p>Other Building Items. (AR1902) : First Floor - Finishing surface of walls with cement based wall putty (water based) of approved make and finished smooth and even surface to receive painting including cost of scaffolding staging charges with cost of all materials taxes,labour,T&P,etc. complete. and as per the direction of Engineer in Charge.</p>	-	256.662	Sqm
i	Un-Skilled	0.05871	15.06862602	-
ii	Skilled	0.0515	13.218093	-
14	<p>Painting (AR0901d) : First Floor - Priming one coat with inner surface primer of approved quality water-bound primer over plastering surfaces including cost conveyance, taxes of all materials, labor and T&P required for the work complete as per direction of the Engineer-in-charge.</p>	-	359.982	Sqm
i	Highly-Skilled	0.055376344086022	19.934487096774	-
ii	Un-Skilled	0.055376344086022	19.934487096774	-

15	Painting (AR0920) : First Floor - Finishing wall two coats with plastic emulsion paint of approved shades on new work to give an even shade including all costs of labor, Paint and Brushes required for the work, etc. complete and as per direction of the Engineer-in-charge.(Inside)	-	359.98	Sqm
i	Highly-Skilled	0.05562	20.0220876	-
ii	Un-Skilled	0.06592	23.7298816	-
16	Other Building Items. (AR1907) : aluminum sliding window (sliding type) - Supplying, fitting, fixing up window (sliding type) made up aluminum Section 9778,as windows frame, section No. 4095,4096 and 9777, 3994 as shutter frame with 5mm thick black glass as panel fitted with rubber beading including locking arrangement including all fitting including cost of materials all taxes labour, T&P etc. complete as per direction of Engineer-incharge.	-	4.32	Sqm
i	Un-Skilled	1.006711409396	4.3489932885906	-
ii	Semi-Skilled	1.006711409396	4.3489932885906	-
iii	Skilled	0.33557046979866	1.4496644295302	-

iv	Highly-Skilled	0.33557046979866	1.4496644295302	-
17	miscellaneous (ARM291) : Supplying and fixing of Wall paneling made of aluminum anodised section framing conforming to standard Aluminium sections as horizontal and vertical members with atleast 600mm c/c and fixing of 9mm thick BWR ply with 4mm thick veneer pasting finished with - Supplying and fixing of Wall paneling made of aluminum anodised section framing conforming to standard Aluminium sections as horizontal and vertical members with atleast 600mm c/c and fixing of 9mm thick BWR ply with 4mm thick veneer pasting finished with melamine polishing complete. (New miscellaneous items) and as directed by Engineer-in-Charge.	-	4.5	Sqm

SI.No.	Labour Type	Qty Unit	Rate	Amount
0	Un-Skilled	314.32787558866	462	145219.47852196
1	Skilled	177.77339473253	562	99908.647839682
2	Semi-Skilled	145.72984476139	512	74613.680517832
3	Highly-Skilled	97.300647513804	612	59547.996278448
Total:				379289.80315793

MATERIAL STATEMENT

SI.No.	Activity Name/Material	Qty/unit (B=Analysis Basic Qty/Header Unit)	Quantity (Meaurement Qty)	Unit
--------	------------------------	---	---------------------------	------

1	R.C.C. Work (AR0404Ac) :.First Floor - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge. (RCC Beams, Column, Girder & Bressmer etc)	-	4.46315	Cum
i)	BRM340 : Cement	3.4733	15.501858895	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	2.0084175	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	1.606734	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	2.410101	1 Cum.
v)	BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	5.30352	23.670405288	1Mtr
vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0498348	0.22242018762	1Cum.

2	R.C.C. Work (AR0404Ad) :First Floor - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Lintels)	-	1.500405	Cum
i)	BRM340 : Cement	3.4733	5.2113566865	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	0.67518225	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	0.5401458	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	0.8102187	1 Cum.
v)	BRM094 : Non-sal bullahs 125mm. mean dia of any length.	4.5234	6.786931977	1Mtr.
vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0889602	0.133476328881	1Cum.

3	R.C.C. Work (AR0404Ag) :.First Floor - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Roof slab, landing, balcony, sun shade)	-	8.11881	Cum
i)	BRM340 : Cement	3.4733	28.199062773	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	3.6534645	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	2.9227716	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	4.3841574	1 Cum.
v)	BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	7.46592	60.6143859552	1Mtr
vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.06026064	0.4892446866384	1Cum.

4	R.C.C. Work (AR0404Af) :First Floor - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Sun sheds & Chajja)	-	6.15	Sqm
i)	BRM340 : Cement	0.21708125	1.3350496875	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.028125	0.17296875	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.0225	0.138375	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.03375	0.2075625	1 Cum.
v)	BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	7.392	45.4608	1Mtr
vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.059664	0.3669336	1Cum.

5	Concrete (AR0317) :.First floor - 2.5 cm thick grading concrete (1:2:2) on roof slab with 6mm size hard granite chips including hoisting and laying in position compacting and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete as per specificaion and direction of Engineer-in charge. (new work)	-	81.1881	Sqm
i)	BRM340 : Cement	0.1208	9.80752248	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.0169	1.37207889	1 Cum
iii)	BRM064 : Granite stone broken chips of 4.7 mm size passing through 6.7 mm sieve (crusher broken.) and retained on 2.36 mm sieve.	0.0169	1.37207889	1 Cum.
6	Masonry Brick Work (AR0603ei) :.First floor - Brickwork with C.B. Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm2 with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.	-	25.886155	Cum
i)	BRMMR0025 : SCAFFOLDING CHARGES FOR BRICK MASONRY WORK	1	25.886155	1 Cum
ii)	BRM002 : Well burnt clamp burnt bricks (23 Cm. x 11Cm. x 8Cm.) having crushing strength not less than 35 Kg./Cm2 with dimensional tolerance ± 8 percent.	400	10354.462	1000 Nos

iii)	BRM340 : Cement	0.672	17.39549616	1 Qntl.
iv)	BRM028 : Screened and washed sharp sand for mortar	0.28	7.2481234	1 Cum
7	R.C.C. Work (AR0409) :.First floor - Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge.	-	14.5	Qntl
i)	BRM162 : Binding Wire.	0.8	11.6	1 Kg.
ii)	BRM341 : Steel	1.05	15.225	1 Qntl.
8	Plastering (AR1004) :.First Floor - 12mm thick cement plaster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc. comp.and as per direction of Engineer-in-charge.	-	103.32	Sqm
i)	BRM340 : Cement	0.0358	3.698856	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.015	1.5498	1 Cum
9	Plastering (AR1014) :.First Floor - 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc comp.and as per direction of Engineer-in-charge.	-	188.7	Sqm
i)	BRM340 : Cement	0.043	8.1141	1 Qntl.

ii)	BRM028 : Screened and washed sharp sand for mortar	0.018	3.3966	1 Cum
10	Flooring (AR0816) :.First floor - Fixing ceramic Tiles (30cmx30cm / 40cmx40cm special plain/printed series ceramic floor tiles of premium grade having thickness 7mm to 8mm confirming to IS 13755) in floor , treads or steps and landing on a 25mm thick bed of cement mortar 1:1 (1cement: 1sand) jointed with neat cement slurry mixed with pigment to match the shades of the ceramic tiles including rubbing and polishing, cost of precast tiles complete as per direction of Engineer-in-charge.	-	10.5	Sqm
i)	BRMMR0027 : Wax Polish	1	10.5	1 Sqm
ii)	BRM130 : Tiles up to 30cm x 30cm / 40cm x 40cm special plain / printed series ceramic floor tiles of premium grade having thickness 7mm to 8mm confirming to IS 13755	1	10.5	1 Sqm.
iii)	BRM340 : Cement	0.2737	2.87385	1 Qntl.
iv)	BRM028 : Screened and washed sharp sand for mortar	0.013	0.1365	1 Cum

11	<p>Flooring (AR0817b) :.First floor - Fixing ceramic tiles (20cmx30cm / 20cmx20cm special plain/printed series ceramic wall tiles of premium grade having thickness 6.5mm to 6.7mm confirming to IS 13753) in wall cladding on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the ceramic tiles including rubbing and polishing, cost of precast tiles complete as per direction of Engineer-in-charge.</p>	-	23.5	Sqm
i)	<p>BRM129 : Tiles up to 20cmx30cm / 20cm x 20cm special plain /printed series ceramic wall tiles of premium grade having thickness 6.5mm to 6.7mm confirming to IS 13753</p>	1	23.5	1 Sqm.
ii)	<p>BRM340 : Cement</p>	0.1375	3.23125	1 Qntl.
iii)	<p>BRM028 : Screened and washed sharp sand for mortar</p>	0.015	0.3525	1 Cum
12	<p>Flooring (AR0817aak) :.First Floor - Fixing Vitrified tiles of premium grade having thickness 8mm to 10mm confirming to IS 13756 of size 600mmx600mm plain (Ivory) in dados, skirting and risers of steps on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the Vitrified tiles including rubbing and polishing complete including cost of precast tiles(For repair and maintenance).</p>	-	60.878	Sqm

i)	BRM131 : Tiles up to Polished Vitrified floor tiles of premium grade having thickness 8 mm to 10mm confirming to IS 15622:2006 (Group-B Ia) of sizes Vitrified Tile 600mmx600mm Plain (Ivory)	1	60.878	1 Sqm.
ii)	BRMMR0027 : Wax Polish	1	60.878	1 Sqm
iii)	BRM340 : Cement	0.1375	8.370725	1 Qntl.
iv)	BRM028 : Screened and washed sharp sand for mortar	0.015	0.91317	1 Cum
13	Other Building Items. (AR1902) :.First Floor - Finishing surface of walls with cement based wall putty (water based) of approved make and finished smooth and even surface to receive painting including cost of scaffolding staging charges with cost of all materials taxes,labour,T&P,etc. complete. and as per the direction of Engineer in Charge.	-	256.662	Sqm
i)	BRMMR0038 : Cement based putty	0.8	205.3296	kg
14	Painting(AR0901d) :.First Floor - Priming one coat with inner surface primer of approved quality water-bound primer over plastering surfaces including cost conveyance, taxes of all materials, labor and T&P required for the work complete as per direction of the Engineer-in-charge.	-	359.982	Sqm
i)	BRM253 : Wall cement primer (I.S.I.) Water bound	0.084	30.238488	1 Ltr

15	Painting(AR0920) :.First Floor - Finishing wall two coats with plastic emulsion paint of approved shades on new work to give an even shade including all costs of labor, Paint and Brushes required for the work, etc. complete and as per direction of the Engineer-in-charge.(Inside)	-	359.98	Sqm
i)	BRM140 : Plastic Emulsion paint	0.125	44.9975	1 Litre
16	Other Building Items. (AR1907) :.aluminum sliding window (sliding type) - Supplying, fitting, fixing up window (sliding type) made up aluminum Section 9778,as windows frame, section No. 4095,4096 and 9777, 3994 as shutter frame with 5mm thick black glass as panel fitted with rubber beading including locking arrangement including all fitting including cost of materials all taxes labour, T&P etc. complete as per direction of Engineer-incharge.	-	4.32	Sqm
i)	BRMMR0005 : Handel with lock	1.3422818791946	5.7986577181208	Each
ii)	BRM271 : Black glass (I.S.I.) 5mm	1.1006711409396	4.7548993288591	Sqm
iii)	BRMMR0008 : Hire charges of drills machine	0.67114093959732	2.8993288590604	Day
iv)	BRMMR0013 : Al. wheel runner	5.3691275167785	23.194630872483	Each
v)	BRMMR0012 : Window pile	5.0335570469799	21.744966442953	Mtr
vi)	BRMMR0011 : U rubber beading	6.5436241610738	28.268456375839	Mtr
vii)	BRMMR0010 : Al. Screws of different sizes	0.67114093959732	2.8993288590604	L.S.
viii)	BRMMR0009 : PVC Plug	5.3691275167785	23.194630872483	Each

ix)	BRM304 : Aluminium extruded section	5.1330201342282	22.174646979866	kg
17	<p>miscellaneous(ARM29 1) :.Supplying and fixing of Wall paneling made of aluminum anodised section framing conforming to standard Aluminium sections as horizontal and vertical members with atleast 600mm c/c and fixing of 9mm thick BWR ply with 4mm thick veneer pasting finished with -</p> <p>Supplying and fixing of Wall paneling made of aluminum anodised section framing conforming to standard Aluminium sections as horizontal and vertical members with atleast 600mm c/c and fixing of 9mm thick BWR ply with 4mm thick veneer pasting finished with melamine polishing complete. (New miscellaneous items) and as directed by Engineer-in-Charge.</p>	-	4.5	Sqm
i)	BRMM291 : Supplying and fixing of Wall paneling made of aluminum anodised section framing conforming to standard Aluminium sections as horizontal and vertical members with atleast 600mm c/c and fixing of 9mm thick BWR ply with 4mm thick veneer pasting finished with melamine polishing complete. (New miscellaneous items)	1	4.5	1 Sqm

Sl.No.	Material Name	Qty	Unit	Rate	Amount
1	BRM340	103.739127682	1 Qntl.	588.992	61101.516291677
2	BRM028	21.47880529	1 Cum	742.47	15947.368563666
3	BRM060	5.2080264	1 Cum.	1759.78	9164.980698192
4	BRM052	7.8120396	1 Cum.	1723.4	13463.26904664
5	BRM084	129.7455912432	1Mtr	392.846	50970.036537526
6	BRM104	1.2120748031394	1Cum.	58715.766	71167.900515629

7	BRM094	6.786931977	1Mtr.	382.786	2597.9425437479
8	BRM064	1.37207889	1 Cum.	1191.31	1634.5713024459
9	BRMMR0025	25.886155	1 Cum	33	854.243115
10	BRM002	10354.462	1000 Nos	4.84474	50164.67622988
11	BRM162	11.6	1 Kg.	90.1	1045.16
12	BRM341	15.225	1 Qntl.	6422.452	97781.8317
13	BRMMR0027	71.378	1 Sqm	8.5	606.713
14	BRM130	10.5	1 Sqm.	464.5902781	4878.19792005
15	BRM129	23.5	1 Sqm.	419.7102781	9863.19153535
16	BRM131	60.878	1 Sqm.	665.5902781	40519.804950172
17	BRMMR0038	205.3296	kg	30	6159.888
18	BRM253	30.238488	1 Ltr	159.45622	4821.7149949954
19	BRM140	44.9975	1 Litre	249.76622	11238.85548445
20	BRMMR0005	5.7986577181208	Each	40	231.94630872483
21	BRM271	4.7548993288591	Sqm	705.01	3352.2515758389
22	BRMMR0008	2.8993288590604	Day	100	289.93288590604
23	BRMMR0013	23.194630872483	Each	25	579.86577181208
24	BRMMR0012	21.744966442953	Mtr	10	217.44966442953
25	BRMMR0011	28.268456375839	Mtr	15	424.02684563758
26	BRMMR0010	2.8993288590604	L.S.	30	86.979865771812
27	BRMMR0009	23.194630872483	Each	1.5	34.791946308725
28	BRM304	22.174646979866	kg	297.97	6607.3795605906
29	BRMM291	4.5	1 Sqm	2285.5	10284.75
Total: 476091.23685444					

ROYALTY STATEMENT

Sl.No.	Activity Name/Material	Qty/unit (B=Analysis Basic Qty/Header Unit)	Quantity (Meaurement Qty)	Unit
--------	------------------------	---	---------------------------	------

1	R.C.C. Work (AR0404Ac) :.First Floor - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge. (RCC Beams, Column, Girder & Bressmer etc)	-	4.46315	Cum
i)	BRM340 : Cement	3.4733	15.501858895	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	2.0084175	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	1.606734	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	2.410101	1 Cum.
v)	BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	0.0544068	0.24282570942	1Mtr
vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0498348	0.22242018762	1Cum.

2	R.C.C. Work (AR0404Ad) :.First Floor - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Lintels)	-	1.500405	Cum
i)	BRM340 : Cement	3.4733	5.2113566865	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	0.67518225	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	0.5401458	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	0.8102187	1 Cum.
v)	BRM094 : Non-sal bullahs 125mm. mean dia of any length.	0.0594504	0.089199677412	1Mtr.
vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0889602	0.133476328881	1Cum.

3	R.C.C. Work (AR0404Ag) :.First Floor - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Roof slab, landing, balcony, sun shade)	-	8.11881	Cum
i)	BRM340 : Cement	3.4733	28.199062773	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	3.6534645	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	2.9227716	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	4.3841574	1 Cum.
v)	BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	0.0919908	0.746855826948	1Mtr
vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.06026064	0.4892446866384	1Cum.

4	R.C.C. Work (AR0404Af) :.First Floor - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Sun sheds & Chajja)	-	6.15	Sqm
i)	BRM340 : Cement	0.21708125	1.3350496875	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.028125	0.17296875	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.0225	0.138375	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.03375	0.2075625	1 Cum.
v)	BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	0.09108	0.560142	1Mtr
vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.059664	0.3669336	1Cum.

5	Concrete (AR0317) :.First floor - 2.5 cm thick grading concrete (1:2:2) on roof slab with 6mm size hard granite chips including hoisting and laying in position compacting and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete as per specificaion and direction of Engineer-in charge. (new work)	-	81.1881	Sqm
i)	BRM340 : Cement	0.1208	9.80752248	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.0169	1.37207889	1 Cum
iii)	BRM064 : Granite stone broken chips of 4.7 mm size passing through 6.7 mm sieve (crusher broken.) and retained on 2.36 mm sieve.	0.0169	1.37207889	1 Cum.
6	Masonry Brick Work (AR0603ei) :.First floor - Brickwork with C.B. Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm ² with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.	-	25.886155	Cum
i)	BRM002 : Well burnt clamp burnt bricks (23 Cm. x 11Cm. x 8Cm.) having crushing strength not less than 35 Kg./Cm ² with dimensional tolerance ± 8 percent.	400	10354.462	1000 Nos
ii)	BRM340 : Cement	0.672	17.39549616	1 Qntl.
iii)	BRM028 : Screened and washed sharp sand for mortar	0.28	7.2481234	1 Cum

7	R.C.C. Work (AR0409) :.First floor - Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge.	-	14.5	Qntl
i)	BRM341 : Steel	1.05	15.225	1 Qntl.
8	Plastering (AR1004) :.First Floor - 12mm thick cement plaster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc. comp.and as per direction of Engineer-in-charge.	-	103.32	Sqm
i)	BRM340 : Cement	0.0358	3.698856	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.015	1.5498	1 Cum
9	Plastering (AR1014) :.First Floor - 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc comp.and as per direction of Engineer-in-charge.	-	188.7	Sqm
i)	BRM340 : Cement	0.043	8.1141	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.018	3.3966	1 Cum

10	<p>Flooring (AR0816) :.First floor - Fixing ceramic Tiles (30cmx30cm / 40cmx40cm special plain/printed series ceramic floor tiles of premium grade having thickness 7mm to 8mm confirming to IS 13755) in floor , treads or steps and landing on a 25mm thick bed of cement mortar 1:1 (1cement: 1sand) jointed with neat cement slurry mixed with pigment to match the shades of the ceramic tiles including rubbing and polishing, cost of precast tiles complete as per direction of Engineer-in-charge.</p>	-	10.5	Sqm
i)	<p>BRM130 : Tiles up to 30cm x 30cm / 40cm x 40cm special plain / printed series ceramic floor tiles of premium grade having thickness 7mm to 8mm confirming to IS 13755</p>	1	10.5	1 Sqm.
ii)	<p>BRM340 : Cement</p>	0.2737	2.87385	1 Qntl.
iii)	<p>BRM028 : Screened and washed sharp sand for mortar</p>	0.013	0.1365	1 Cum
11	<p>Flooring (AR0817b) :.First floor - Fixing ceramic tiles (20cmx30cm / 20cmx20cm special plain/printed series ceramic wall tiles of premium grade having thickness 6.5mm to 6.7mm confirming to IS 13753) in wall cladding on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the ceramic tiles including rubbing and polishing, cost of precast tiles complete as per direction of Engineer-in-charge.</p>	-	23.5	Sqm

i)	BRM129 : Tiles up to 20cmx30cm / 20cm x 20cm special plain /printed series ceramic wall tiles of premium grade having thickness 6.5mm to 6.7mm confirming to IS 13753	1	23.5	1 Sqm.
ii)	BRM340 : Cement	0.1375	3.23125	1 Qntl.
iii)	BRM028 : Screened and washed sharp sand for mortar	0.015	0.3525	1 Cum
12	Flooring (AR0817aak) .: First Floor - Fixing Vitrified tiles of premium grade having thickness 8mm to 10mm confirming to IS 13756 of size 600mmx600mm plain (Ivory) in dados, skirting and risers of steps on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the Vitrified tiles including rubbing and polishing complete including cost of precast tiles(For repair and maintenance).	-	60.878	Sqm
i)	BRM131 : Tiles up to Polished Vitrified floor tiles of premium grade having thickness 8 mm to 10mm confirming to IS 15622:2006 (Group-B Ia) of sizes Vitrified Tile 600mmx600mm Plain (Ivory)	1	60.878	1 Sqm.
ii)	BRM340 : Cement	0.1375	8.370725	1 Qntl.
iii)	BRM028 : Screened and washed sharp sand for mortar	0.015	0.91317	1 Cum

13	<p>Other Building Items. (AR1902) :.First Floor - Finishing surface of walls with cement based wall putty (water based) of approved make and finished smooth and even surface to receive painting including cost of scaffolding staging charges with cost of all materials taxes,labour,T&P,etc.co mplete. and as per the direction of Engineer in Charge.</p>	-	256.662	Sqm
14	<p>Painting(AR0901d) :.First Floor - Priming one coat with inner surface primer of approved quality water-bound primer over plastering surfaces including cost conveyance, taxes of all materials, labor and T&P required for the work complete as per direction of the Engineer-in-charge.</p>	-	359.982	Sqm
i)	<p>BRM253 : Wall cement primer (I.S.I.) Water bound</p>	0.084	30.238488	1 Ltr
15	<p>Painting(AR0920) :.First Floor - Finishing wall two coats with plastic emulsion paint of approved shades on new work to give an even shade including all costs of labor, Paint and Brushes required for the work, etc. complete and as per direction of the Engineer-in-charge.(Inside)</p>	-	359.98	Sqm
i)	<p>BRM140 : Plastic Emulsion paint</p>	0.125	44.9975	1 Litre

16	<p>Other Building Items. (AR1907) :.aluminum sliding window (sliding type) - Supplying, fitting, fixing up window (sliding type) made up aluminum Section 9778,as windows frame, section No. 4095,4096 and 9777, 3994 as shutter frame with 5mm thick black glass as panel fitted with rubber beading including locking arrangement including all fitting including cost of materials all taxes labour, T&P etc. complete as per direction of Engineer-incharge.</p>	-		4.32	Sqm
17	<p>miscellaneous(ARM29 1) :.Supplying and fixing of Wall paneling made of aluminum anodised section framing conforming to standard Aluminium sections as horizontal and vertical members with atleast 600mm c/c and fixing of 9mm thick BWR ply with 4mm thick veneer pasting finished with - Supplying and fixing of Wall paneling made of aluminum anodised section framing conforming to standard Aluminium sections as horizontal and vertical members with atleast 600mm c/c and fixing of 9mm thick BWR ply with 4mm thick veneer pasting finished with melamine polishing complete. (New miscellaneous items) and as directed by Engineer-in-Charge.</p>	-		4.5	Sqm

S/N	Material Name	Qty	Unit	Royalty Rate	Amount
1	BRM028	21.47880529	1 Cum	242.25	5203.2405815025
2	BRM060	5.2080264	1 Cum.	235.5	1226.4902172
3	BRM052	7.8120396	1 Cum.	235.5	1839.7353258
4	BRM064	1.37207889	1 Cum.	235.5	323.124578595

5	BRM002	10354.462	1000 Nos	0.05531	572.70529322
					Total: 9165.2959963175

ADDITION COMPONENT

Sl.No.	Item Name	Amount (in Rs.)
1	Provision for PH Work @ Rs. 48000	Rs. 48000
2	Provision for EI Work @ Rs. 60000	Rs. 60000
3	Provision for Contingency @ 1%	Rs. 8600.2954260506
4	Display Citizen Board @ Rs. 2000	Rs. 2000
5	Any Other Lumpsum @ Rs. 21370	Rs. 21370
		Total Addition Component Amount (in Rs.): 139970.29542605

Total Net Amount (in Rs.): 999999.83803111