

| ESTIMATION DPR | | | | | | | |
|----------------|--------|-----------------|------------|--------------|------------|-----------------------|-----------|
| State | Odisha | District | Sundargarh | Block | Lephripara | Gram Panchayat | Sargipali |

| | |
|-------------------------|--|
| Work Code | OD/373/3584/121707/383719/00041662 (Construction of Market shed at Sargipali Market) |
| Project Category | Building |

| | | | |
|-----------------------------|------------------------------|------------------------------|-------------------------------|
| Financial Year | 2025-26 | Execution Level | PS |
| Executing Agency | Panchayat Samiti, Lephripara | Proposal Date | - |
| Date of Commencement | 09-01-2026 | Date of Completion | 07-02-2026 |
| Scheme Name | 5th SFC Grant in Aid | Scheme Component Name | Maintenance of Capital Assets |
| Project Sub-Category | Market Complex | Project Type | New Work |
| Name of Executant | SUPRIYA TIRKEY | | |

Administrative Approval Details

| | |
|---------------------|---------------------------------------|
| Approval No. | OD/373/3584/121707/383719/00041662/AS |
|---------------------|---------------------------------------|

Technical Sanction Details

| | |
|--------------------------------------|---------------------------------------|
| Technical Sanction No. | OD/373/3584/121707/383719/00041662/TS |
| Fund Sanction No. | 26956 |
| Fund Sanction Amount (in Rs.) | 550000 |

ACTIVITY STATEMENT

| S/N | ACTIVITY TAKEN | UNIT | QUANTITY | UNIT PRICE (IN RS.) | TOTAL (IN RS.) |
|-----|----------------|------|----------|---------------------|----------------|
|-----|----------------|------|----------|---------------------|----------------|

| | | | | | |
|---|--|-----|--------|-------------|-----------------|
| 1 | <p>Earth Work (AR0102aa) : Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift - Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge</p> | Cum | 11.25 | 240.77592 | 3707.5887794643 |
| 2 | <p>Earth Work (AR0115) : Filling foundation and plinth with sand well watered and rammed - Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T & P required for the work etc. complete and as per direction of Engineer-in charge.</p> | Cum | 47.309 | 1020.709232 | 3707.5887794643 |

| | | | | | |
|---|---|-----|-----------|---------------|-----------------|
| 3 | <p>Concrete (AR0303) : Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.</p> | Cum | 28.38875 | 5301.76800452 | 3707.5887794643 |
| 4 | <p>Concrete (AR0307) : Cement concrete (1:2:4)with 12mm size hard broken granite chips per 1cum - Cement concrete work with (1:2:4) using 12mm size hard granite(crusher broken) chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete as per specifcaion and direction of Engineer-in charge.</p> | Cum | 26.039125 | 6795.30779924 | 3707.5887794643 |

| | | | | | |
|---|--|-----|-------|-----------------|-----------------|
| 5 | <p>R.C.C. Work (AR0410c) : R.C.C. foundation , plinth band and footings bases of columns mass concrete precast slabs etc - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. foundation, plinth band and footings bases of columns mass concrete precast slabs, etc</p> | Sqm | 8.4 | 216.86588853924 | 3707.5887794643 |
| 6 | <p>R.C.C. Work (AR0404A) : Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge. (excluding centring and shuttering)</p> | Cum | 0.525 | 5499.5692568004 | 3707.5887794643 |

| | | | | | |
|---|--|------|-------|-----------------|-----------------|
| 7 | <p>Roofing (AR1132i) : Supplying, feeting & fixing of G.C.I. Sheet (0.40mm thick) in roof drilling hole in wind ties - Supplying, fitting & fixing of G.C.I. Sheet (0.40mm thick) in roof drilling hole in wind ties including fixing of ridges valleys wind ties etc. including cost of fitting, Labour and material etc. complete as per direction of Engineer-in-Charge</p> | Sqm | 47.6 | 538.11019413332 | 3707.5887794643 |
| 8 | <p>Iron Work (AR1704) : Iron Doors and windows fixing - Supplying, fitting & fixing of Mild steel and put up for frames & shutters of Doors and windows fixing in position with cost, conveyance, taxes of all materials, labours and T & P required for the work etc. as per direction of Engineer-in-charge.</p> | Qntl | 7.983 | 15786.429703087 | 3707.5887794643 |

| | | | | | |
|---|--|-----|--------|-----------------|-----------------|
| 9 | Painting (AR0918ca) : Finishing wall two coats with weather coat with one coat oilbound Primer - Finishing wall surface two coats with weather coat with one coat oilbound Primer including all costs of labour, Paint, Primer, Brushes and putty required for the work etc. complete and as per direction of Engineer-in-charge.(Outside) | Sqm | 21.315 | 156.90369241901 | 3707.5887794643 |
| 10 | Plastering (AR1004) : 12mm thick cement plaster (1:6) over Brick work in inside - 12mm thick cement plaster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc. comp.and as per direction of Engineer-in-charge. | Sqm | 21.315 | 173.9427060504 | 3707.5887794643 |
| Total Amount (in Rs.): 541849.94966031 | | | | | |

LABOUR STATEMENT

| SI.No. | Activity Name | Qty/unit(B=Analysis Basic Qty/HeaderUnit) | Quantity(Measurement Qty) | Unit |
|--------|---------------|---|---------------------------|------|
|--------|---------------|---|---------------------------|------|

| | | | | |
|---|--|--------|-----------|-----|
| 1 | <p>Earth Work (AR0102aa) : Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift -</p> <p>Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge</p> | - | 11.25 | Cum |
| i | Un-Skilled | 0.516 | 5.805 | - |
| 2 | <p>Earth Work (AR0115) : Filling foundation and plinth with sand well watered and rammed -</p> <p>Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T & P required for the work etc. complete and as per direction of Engineer-in charge.</p> | - | 47.309 | Cum |
| i | Un-Skilled | 0.1236 | 5.8473924 | - |

| | | | | |
|----|---|------|------------|-----|
| 3 | <p>Concrete (AR0303) : Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.</p> | - | 28.38875 | Cum |
| i | Skilled | 0.18 | 5.109975 | - |
| ii | Un-Skilled | 3.9 | 110.716125 | - |
| 4 | <p>Concrete (AR0307) : Cement concrete (1:2:4)with 12mm size hard broken granite chips per 1cum - Cement concrete work with (1:2:4) using 12mm size hard granite(crusher broken) chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete as per specificaion and direction of Engineer-in charge.</p> | - | 26.039125 | Cum |
| i | Un-Skilled | 4.6 | 119.779975 | - |

| | | | | | |
|---|----|--|------|-----------|-----|
| | ii | Skilled | 0.68 | 17.706605 | - |
| 5 | | R.C.C. Work (AR0410c) : R.C.C. foundation , plinth band and footings bases of columns mass concrete precast slabs etc - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. foundation, plinth band and footings bases of columns mass concrete precast slabs, etc | - | 8.4 | Sqm |
| | i | Semi-Skilled | 0.05 | 0.42 | - |
| | ii | Skilled | 0.05 | 0.42 | - |

| | | | | |
|-----|---|--------|-----------|-----|
| 6 | <p>R.C.C. Work (AR0404A) : Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge. (excluding centring and shuttering)</p> | - | 0.525 | Cum |
| i | Un-Skilled | 1.3333 | 0.6999825 | - |
| ii | Skilled | 0.1 | 0.0525 | - |
| iii | Semi-Skilled | 0.0573 | 0.0300825 | - |
| 7 | <p>Roofing (AR1132i) : Supplying, feeting & fixing of G.C.I. Sheet (0.40mm thick) in roof drilling hole in wind ties - Supplying, fitting & fixing of G.C.I. Sheet (0.40mm thick) in roof drilling hole in wind ties including fixing of ridges valleys wind ties etc. including cost of fitting, Labour and material etc. complete as per direction of Engineer-in-Charge</p> | - | 47.6 | Sqm |

| | | | | | |
|---|-----|--|------------------|-----------------|------|
| | i | Un-Skilled | 0.21505376344086 | 10.236559139785 | - |
| | ii | Highly-Skilled | 0.16129032258065 | 7.6774193548387 | - |
| 8 | | Iron Work (AR1704) : Iron Doors and windows fixing - Supplying, fitting & fixing of Mild steel and put up for frames & shutters of Doors and windows fixing in position with cost, conveyance, taxes of all materials, labours and T & P required for the work etc. as per direction of Engineer-in- charge. | - | 7.983 | Qntl |
| | i | Un-Skilled | 6.3976377952756 | 51.072342519685 | - |
| | ii | Semi-Skilled | 1.9685039370079 | 15.714566929134 | - |
| | iii | Skilled | 3.9370078740157 | 31.429133858268 | - |
| | iv | Highly-Skilled | 3.4448818897638 | 27.500492125984 | - |
| 9 | | Painting (AR0918ca) : Finishing wall two coats with weather coat with one coat oilbound Primer - Finishing wall surface two coats with weather coat with one coat oilbound Primer including all costs of labour, Paint, Primer, Brushes and putty required for the work etc. complete and as per direction of Engineer-in- charge.(Outside) | - | 21.315 | Sqm |

| | | | | | |
|----|----|--|------------------|-----------------|-----|
| | i | Un-Skilled | 0.11776344086022 | 2.5101277419355 | - |
| | ii | Highly-Skilled | 0.10776344086022 | 2.2969777419355 | - |
| 10 | | Plastering (AR1004) : 12mm thick cement plster (1:6) over Brick work in inside - 12mm thick cement plster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc. comp.and as per direction of Engineer-in-charge. | - | 21.315 | Sqm |
| | i | Un-Skilled | 0.12 | 2.5578 | - |
| | ii | Skilled | 0.14 | 2.9841 | - |

| SI.No. | Labour Type | Qty Unit | Rate | Amount |
|---------------|----------------|-----------------|------|------------------------|
| 0 | Un-Skilled | 309.22530430141 | 462 | 142862.09058725 |
| 1 | Skilled | 57.702313858268 | 562 | 32428.700388346 |
| 2 | Semi-Skilled | 16.164649429134 | 512 | 8276.3005077165 |
| 3 | Highly-Skilled | 37.474889222758 | 612 | 22934.632204328 |
| Total: | | | | 206501.72368764 |

MATERIAL STATEMENT

| SI.No. | Activity Name/Material | Qty/unit (B=Analysis Basic Qty/Header Unit) | Quantity (Meaurement Qty) | Unit |
|--------|------------------------|---|---------------------------|------|
|--------|------------------------|---|---------------------------|------|

| | | | | |
|-----|---|------|------------|---------|
| 1 | Earth Work (AR0102aa) :.Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift - Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge | - | 11.25 | Cum |
| 2 | Earth Work (AR0115) :.Filling foundation and plinth with sand well watered and rammed - Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T & P required for the work etc. complete and as per direction of Engineer-in charge. | - | 47.309 | Cum |
| i) | BRM029 : Sand for filling and road blinding | 1 | 47.309 | 1 Cum |
| 3 | Concrete (AR0303) :.Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge. | - | 28.38875 | Cum |
| i) | BRM340 : Cement | 2.29 | 65.0102375 | 1 Qntl. |
| ii) | BRM028 : Screened and washed sharp sand for mortar | 0.48 | 13.6266 | 1 Cum |

| | | | | |
|------|--|------|------------------|---------|
| iii) | BRM044 : Granite Stone broken metal 40mm. size (Crusher broken) | 0.96 | 27.2532 | 1 Cum. |
| 4 | Concrete (AR0307) :.Cement concrete (1:2:4)with 12mm size hard broken granite chips per 1cum - Cement concrete work with (1:2:4) using 12mm size hard granite(crusher broken) chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete as per specificaion and direction of Engineer-in charge. | - | 26.039125 | Cum |
| i) | BRM340 : Cement | 3.23 | 84.10637375 | 1 Qntl. |
| ii) | BRM028 : Screened and washed sharp sand for mortar | 0.45 | 11.71760625 | 1 Cum |
| iii) | BRM056 : Granite Stone broken chips 12mm. size (Minimum 65% by Wt. Passing through 13.2mm sieve & retained on 9.50mm sieve but whole should pass through 19mm sieve) (Crusher broken) | 0.9 | 23.4352125 | 1 Cum. |
| 5 | R.C.C. Work (AR0410c) :.R.C.C. foundation , plinth band and footings bases of columns mass concrete precast slabs etc - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. foundation, plinth band and footings bases of columns mass concrete precast slabs, etc | - | 8.4 | Sqm |

| | | | | |
|------|--|---------|--------------|---------|
| i) | BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma) | 0.00267 | 0.022428 | 1Cum. |
| ii) | BRM092 : Non-sal bullahs 75mm. mean dia of any length. | 0.126 | 1.0584 | 1Mtr. |
| 6 | R.C.C. Work (AR0404A) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge. (excluding centring and shuttering) | - | 0.525 | Cum |
| i) | BRM340 : Cement | 3.4733 | 1.8234825 | 1 Qntl. |
| ii) | BRM028 : Screened and washed sharp sand for mortar | 0.45 | 0.23625 | 1 Cum |
| iii) | BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken) | 0.36 | 0.189 | 1 Cum. |
| iv) | BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken) | 0.54 | 0.2835 | 1 Cum. |

| | | | | |
|-----|---|-------|----------|---------|
| 7 | Roofing (AR1132i) :.Supplying, feeting & fixing of G.C.I. Sheet (0.40mm thick) in roof drilling hole in wind ties - Supplying, fitting & fixing of G.C.I. Sheet (0.40mm thick) in roof drilling hole in wind ties including fixing of ridges valleys wind ties etc. including cost of fitting, Labour and material etc. complete as per direction of Engineer-in-Charge | - | 47.6 | Sqm |
| i) | BRM150 : G.C.I. Sheet 0.40mm thick | 1 | 47.6 | 1 Sqm. |
| 8 | Iron Work(AR1704) :.Iron Doors and windows fixing - Supplying, fitting & fixing of Mild steel and put up for frames & shutters of Doors and windows fixing in position with cost, conveyance, taxes of all materials, labours and T & P required for the work etc. as per direction of Engineer-in-charge. | - | 7.983 | Qntl |
| i) | BRM341 : Steel | 1 | 7.983 | 1 Qntl. |
| 9 | Painting(AR0918ca) :.Finishing wall two coats with weather coat with one coat oilbound Primer - Finishing wall surface two coats with weather coat with one coat oilbound Primer including all costs of labour, Paint, Primer, Brushes and putty required for the work etc. complete and as per direction of Engineer-in-charge.(Outside) | - | 21.315 | Sqm |
| i) | BRM255 : Weather Coat (I.S.I.) | 0.125 | 2.664375 | 1 Ltr |
| ii) | BRM252 : Wall cement primer (I.S.I.) Oil bound | 0.084 | 1.79046 | 1 Ltr |

| | | | | |
|-----|---|--------|----------|---------|
| 10 | Plastering (AR1004) :.12mm thick cement plaster (1:6) over Brick work in inside - 12mm thick cement plaster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc. comp.and as per direction of Engineer-in-charge. | - | 21.315 | Sqm |
| i) | BRM340 : Cement | 0.0358 | 0.763077 | 1 Qntl. |
| ii) | BRM028 : Screened and washed sharp sand for mortar | 0.015 | 0.319725 | 1 Cum |

| Sl.No. | Material Name | Qty | Unit | Rate | Amount |
|-------------------------------|---------------|--------------|---------|-------------|-----------------|
| 1 | BRM029 | 47.309 | 1 Cum | 543.25 | 25700.61425 |
| 2 | BRM340 | 151.70317075 | 1 Qntl. | 567.187 | 86044.06630818 |
| 3 | BRM028 | 25.90018125 | 1 Cum | 548.19 | 14198.220359437 |
| 4 | BRM044 | 27.2532 | 1 Cum. | 1271.26 | 34645.903032 |
| 5 | BRM056 | 23.4352125 | 1 Cum. | 1672.63 | 39198.439483875 |
| 6 | BRM104 | 0.022428 | 1Cum. | 58763.326 | 1317.943875528 |
| 7 | BRM092 | 1.0584 | 1Mtr. | 419.346 | 443.8358064 |
| 8 | BRM060 | 0.189 | 1 Cum. | 1666.01 | 314.87589 |
| 9 | BRM052 | 0.2835 | 1 Cum. | 1658.3 | 470.12805 |
| 10 | BRM150 | 47.6 | 1 Sqm. | 334.7178543 | 15932.56986468 |
| 11 | BRM341 | 7.983 | 1 Qntl. | 6230.747 | 49740.053301 |
| 12 | BRM255 | 2.664375 | 1 Ltr | 195.27567 | 520.28761325625 |
| 13 | BRM252 | 1.79046 | 1 Ltr | 125.98567 | 225.5723027082 |
| Total: 268752.51013707 | | | | | |

ROYALTY STATEMENT

| Sl.No. | Activity Name/Material | Qty/unit (B=Analysis Basic Qty/Header Unit) | Quantity (Meaurement Qty) | Unit |
|--------|------------------------|---|---------------------------|------|
|--------|------------------------|---|---------------------------|------|

| | | | | |
|-----|---|------|------------|---------|
| 1 | Earth Work (AR0102aa) :.Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift - Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge | - | 11.25 | Cum |
| 2 | Earth Work (AR0115) :.Filling foundation and plinth with sand well watered and rammed - Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T & P required for the work etc. complete and as per direction of Engineer-in charge. | - | 47.309 | Cum |
| i) | BRM029 : Sand for filling and road blinding | 1 | 47.309 | 1 Cum |
| 3 | Concrete (AR0303) :.Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge. | - | 28.38875 | Cum |
| i) | BRM340 : Cement | 2.29 | 65.0102375 | 1 Qntl. |
| ii) | BRM028 : Screened and washed sharp sand for mortar | 0.48 | 13.6266 | 1 Cum |

| | | | | |
|------|--|------|------------------|---------|
| iii) | BRM044 : Granite Stone broken metal 40mm. size (Crusher broken) | 0.96 | 27.2532 | 1 Cum. |
| 4 | Concrete (AR0307) :.Cement concrete (1:2:4)with 12mm size hard broken granite chips per 1cum - Cement concrete work with (1:2:4) using 12mm size hard granite(crusher broken) chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete as per specificaion and direction of Engineer-in charge. | - | 26.039125 | Cum |
| i) | BRM340 : Cement | 3.23 | 84.10637375 | 1 Qntl. |
| ii) | BRM028 : Screened and washed sharp sand for mortar | 0.45 | 11.71760625 | 1 Cum |
| iii) | BRM056 : Granite Stone broken chips 12mm. size (Minimum 65% by Wt. Passing through 13.2mm sieve & retained on 9.50mm sieve but whole should pass through 19mm sieve) (Crusher broken) | 0.9 | 23.4352125 | 1 Cum. |
| 5 | R.C.C. Work (AR0410c) :.R.C.C. foundation , plinth band and footings bases of columns mass concrete precast slabs etc - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. foundation, plinth band and footings bases of columns mass concrete precast slabs, etc | - | 8.4 | Sqm |

| | | | | |
|------|--|----------|--------------|---------|
| i) | BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma) | 0.00267 | 0.022428 | 1Cum. |
| ii) | BRM092 : Non-sal bullahs 75mm. mean dia of any length. | 0.000614 | 0.0051576 | 1Mtr. |
| 6 | R.C.C. Work (AR0404A) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge. (excluding centring and shuttering) | - | 0.525 | Cum |
| i) | BRM340 : Cement | 3.4733 | 1.8234825 | 1 Qntl. |
| ii) | BRM028 : Screened and washed sharp sand for mortar | 0.45 | 0.23625 | 1 Cum |
| iii) | BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken) | 0.36 | 0.189 | 1 Cum. |
| iv) | BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken) | 0.54 | 0.2835 | 1 Cum. |

| | | | | |
|-----|---|-------|----------|---------|
| 7 | Roofing (AR1132i) :.Supplying, feeting & fixing of G.C.I. Sheet (0.40mm thick) in roof drilling hole in wind ties - Supplying, fitting & fixing of G.C.I. Sheet (0.40mm thick) in roof drilling hole in wind ties including fixing of ridges valleys wind ties etc. including cost of fitting, Labour and material etc. complete as per direction of Engineer-in-Charge | - | 47.6 | Sqm |
| i) | BRM150 : G.C.I. Sheet 0.40mm thick | 1 | 47.6 | 1 Sqm. |
| 8 | Iron Work(AR1704) :.Iron Doors and windows fixing - Supplying, fitting & fixing of Mild steel and put up for frames & shutters of Doors and windows fixing in position with cost, conveyance, taxes of all materials, labours and T & P required for the work etc. as per direction of Engineer-in-charge. | - | 7.983 | Qntl |
| i) | BRM341 : Steel | 1 | 7.983 | 1 Qntl. |
| 9 | Painting(AR0918ca) :.Finishing wall two coats with weather coat with one coat oilbound Primer - Finishing wall surface two coats with weather coat with one coat oilbound Primer including all costs of labour, Paint, Primer, Brushes and putty required for the work etc. complete and as per direction of Engineer-in-charge.(Outside) | - | 21.315 | Sqm |
| i) | BRM255 : Weather Coat (I.S.I.) | 0.125 | 2.664375 | 1 Ltr |
| ii) | BRM252 : Wall cement primer (I.S.I.) Oil bound | 0.084 | 1.79046 | 1 Ltr |

| | | | | |
|-----|---|--------|----------|---------|
| 10 | Plastering (AR1004) :.12mm thick cement plaster (1:6) over Brick work in inside - 12mm thick cement plaster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc. comp.and as per direction of Engineer-in-charge. | - | 21.315 | Sqm |
| i) | BRM340 : Cement | 0.0358 | 0.763077 | 1 Qntl. |
| ii) | BRM028 : Screened and washed sharp sand for mortar | 0.015 | 0.319725 | 1 Cum |

| S/N | Material Name | Qty | Unit | Royalty Rate | Amount |
|-------------------------------|---------------|-------------|--------|--------------|-----------------|
| 1 | BRM029 | 47.309 | 1 Cum | 410.25 | 19408.51725 |
| 2 | BRM028 | 25.90018125 | 1 Cum | 410.25 | 10625.549357812 |
| 3 | BRM044 | 27.2532 | 1 Cum. | 154.5 | 4210.6194 |
| 4 | BRM056 | 23.4352125 | 1 Cum. | 159.5 | 3737.91639375 |
| 5 | BRM060 | 0.189 | 1 Cum. | 159.5 | 30.1455 |
| 6 | BRM052 | 0.2835 | 1 Cum. | 159.5 | 45.21825 |
| Total: 38057.966151562 | | | | | |

ADDITION COMPONENT

| SI.No. | Item Name | Amount (in Rs.) |
|--|---|-----------------|
| 1 | Provision for Contingency @ Rs. 5500 | Rs. 5500 |
| 2 | Display Citizen Board @ Rs. 2650.05 | Rs. 2650.05 |
| Total Addition Component Amount (in Rs.): 8150.05 | | |

Total Net Amount (in Rs.): 549999.99966031