

ESTIMATION DPR							
<b>State</b>	Odisha	<b>District</b>	Nabarangpur	<b>Block</b>	Jhorigam	<b>Gram Panchayat</b>	Dhamanaguda

<b>Work Code</b>	OD/366/3515/120451/427614/00056399 (Construction work of VSS building at Dhamanaguda village of Dhamanaguda GP)
<b>Project Category</b>	Building

<b>Financial Year</b>	2023-24	<b>Execution Level</b>	PS
<b>Executing Agency</b>	Panchayat Samiti, Jhorigam	<b>Proposal Date</b>	22-08-2024
<b>Date of Commencement</b>	16-03-2026	<b>Date of Completion</b>	-
<b>Scheme Name</b>	Construction of Vana Suraksha Samiti Building	<b>Scheme Component Name</b>	Construction of Buildings for Vana Suraksha Samiti
<b>Project Sub-Category</b>	Vana Suraksha Samiti Building	<b>Project Type</b>	New Work
<b>Name of Executant</b>	Sagram Marndi		

### Administrative Approval Details

<b>Approval No.</b>	OD/366/3515/120451/427614/00056399/AS
---------------------	---------------------------------------

### Technical Sanction Details

<b>Technical Sanction No.</b>	OD/366/3515/120451/427614/00056399/TS
<b>Fund Sanction No.</b>	
<b>Fund Sanction Amount (in Rs.)</b>	850000

### MATERIAL STATEMENT

Sl.No.	Activity Name/Material	Qty/unit (B=Analysis Basic Qty/Header Unit)	Quantity (Meaurement Qty)	Unit
1	<b>Earth Work (AR0122Aia)</b> ∴.Earthwork in all kinds of soil in foundation and plinth within 50m, initial lead and 1.5m, initial lift - Earthwork in all kinds of soil in foundation and plinth within 50m, initial lead and 1.5m, initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per direction of the Engineer-in-charge	-	<b>28.2582</b>	Cum

2	<b>Earth Work (AR0115)</b> :.Filling foundation and plinth with sand well watered and rammed - Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T & P required for the work etc. complete and as per direction of Engineer-in charge.	-	<b>23.8659</b>	Cum
i)	<b>BRM029</b> : Sand for filling and road blinding	1	23.8659	1 Cum
3	<b>Concrete (AR0303)</b> :.Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.	-	<b>15.774475</b>	Cum
i)	<b>BRM340</b> : Cement	2.29	36.12354775	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.48	7.571748	1 Cum
iii)	<b>BRM044</b> : Granite Stone broken metal 40mm. size (Crusher broken)	0.96	15.143496	1 Cum.

4	<b>R.C.C. Work (AR0404A)</b> <b>:.Reinforced cement concrete work of M-20 grade with 20mm &amp; down grade size black hard crusher broken granite chips -</b> Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge. (excluding centring and shuttering)	-	<b>18.78304945</b>	Cum
i)	<b>BRM340</b> : Cement	3.4733	65.239165654685	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.45	8.4523722525	1 Cum
iii)	<b>BRM060</b> : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	6.761897802	1 Cum.
iv)	<b>BRM052</b> : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	10.142846703	1 Cum.

5	<b>R.C.C. Work (AR0409) :.Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position -</b> Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge.	-	19.1	Qntl
i)	<b>BRM162</b> : Binding Wire.	0.8	15.28	1 Kg.
ii)	<b>BRM341</b> : Steel	1.05	20.055	1 Qntl.
6	<b>R.C.C. Work (AR0410c) :.R.C.C. foundation , plinth band and footings bases of columns mass concrete precast slabs etc -</b> Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. foundation, plinth band and footings bases of columns mass concrete precast slabs, etc	-	108.1054	Sqm
i)	<b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.00267	0.288641418	1Cum.
ii)	<b>BRM092</b> : Non-sal bullahs 75mm. mean dia of any length.	0.126	13.6212804	1Mtr.

7	<b>R.C.C. Work (AR0410e) :.Rigid and smooth centering and shuttering for R.C.C. works including false works and dismantling them after casting - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. Lintels Data for 7.8 sqm</b>	-	<b>9.822</b>	Sqm
i)	<b>BRM094</b> : Non-sal bullahs 125mm. mean dia of any length.	0.26923076923077	2.6443846153846	1Mtr.
ii)	<b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0052948717948718	0.052006230769231	1Cum.
8	<b>R.C.C. Work (AR0410d) :.Rigid and smooth centering and shuttering for R.C.C. works including false works and dismantling them after casting - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. beams, column, grider and bressmer, etc. Data for 4.2sqm</b>	-	<b>13.096</b>	Sqm
i)	<b>BRM084</b> : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	0.55238095238095	7.233980952381	1Mtr
ii)	<b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0051904761904762	0.067974476190476	1Cum.

9	<p><b>R.C.C. Work (AR0410a) :.Centring &amp; Shuttering for R.C.C. floor and roof slabs, landings,balconies, projecting sun shades and chajjas - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. floor and roof slabs, landings, balconies, projecting sun shades and chajjas up to 4.3m height</b></p>	-	47.768	Sqm
i)	<p><b>BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.</b></p>	0.622222222222222	29.7223111111111	1Mtr
ii)	<p><b>BRM104 : Non Sal wood scantling &amp; plants(Tentera, Kasi, Gamhari, Kuruma)</b></p>	0.005022222222222	0.239901511111111	1Cum.
10	<p><b>Masonry Brick Work (AR0603ci) :.Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure -</b> Brickwork with Flyash Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm2 with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&amp;P required for the work, etc. complete and as per direction of Engineer-in-charge.</p>	-	22.146585	Cum
i)	<p><b>BRMMR0025 : SCAFFOLDING CHARGES FOR BRICK MASONRY WORK</b></p>	1	22.146585	1 Cum

ii)	<b>BRM006</b> : Fly ash bricks of 23 Cm. x 11 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm <sup>2</sup> with dimensional tolerance $\pm$ 2 %	400	8858.634	1000 Nos
iii)	<b>BRM340</b> : Cement	0.672	14.88250512	1 Qntl.
iv)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.28	6.2010438	1 Cum
11	<b>Iron Work(AR1704)</b> :.Iron Doors and windows fixing - Supplying, fitting & fixing of Mild steel and put up for frames & shutters of Doors and windows fixing in position with cost, conveyance, taxes of all materials, labours and T & P required for the work etc. as per direction of Engineer-in-charge.	-	<b>2.7198</b>	Qntl
i)	<b>BRM341</b> : Steel	1	2.7198	1 Qntl.
12	<b>Plastering (AR1014)</b> :.16mm thick cement Plaster in CM (1:6) over brick work in inside. - 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc comp.and as per direction of Engineer-in-charge.	-	<b>130.0236</b>	Sqm
i)	<b>BRM340</b> : Cement	0.043	5.5910148	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.018	2.3404248	1 Cum

13	<b>Plastering (AR1004)</b> :.12mm thick cement plaster (1:6) over Brick work in inside - 12mm thick cement plaster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc. comp.and as per direction of Engineer-in-charge.	-	<b>81.385</b>	Sqm
i)	<b>BRM340</b> : Cement	0.0358	2.913583	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.015	1.220775	1 Cum
14	<b>Painting(AR0918ca)</b> :.Finishing wall two coats with weather coat with one coat oilbound Primer - Finishing wall surface two coats with weather coat with one coat oilbound Primer including all costs of labour, Paint, Primer, Brushes and putty required for the work etc. complete and as per direction of Engineer-in-charge.(Outside)	-	<b>81.385</b>	Sqm
i)	<b>BRM255</b> : Weather Coat (I.S.I.)	0.125	10.173125	1 Ltr
ii)	<b>BRM252</b> : Wall cement primer (I.S.I.) Oil bound	0.084	6.83634	1 Ltr

15	<b>Painting(AR0922a)</b> :.Finishing wall surface with two coats with distemper of approved shades above one coat oil bound Primer on new work (Inside) - Finishing wall surface with two coats with distemper of approved shades above one coat oil bound Primer on new work to give an even shade including all costs of labor, Paint, Primer, Brushes and putty required for the work, etc. complete and as per direction of the Engineer-in-charge.(Inside)	-	<b>130.023</b>	Sqm
i)	<b>BRM142</b> : Distemper	0.25	32.50575	1 Kg.
ii)	<b>BRM252</b> : Wall cement primer (I.S.I.) Oil bound	0.084	10.921932	1 Ltr
16	<b>Painting(AR0903b)</b> :.Painting two coats of enamel paint with a coat of red oxide primer over iron surface - Painting two coats of enamel paint with a coat of red oxide primer over iron surface including all costs of labour, Paint, Primer, brushes and putty required for the work etc. complete and as per direction of Engineer-in-charge.	-	<b>27.50625</b>	Sqm
i)	<b>BRM137</b> : Red oxide Primer	0.054	1.4853375	1 Litre
ii)	<b>BRM141</b> : Enamel paint	0.125	3.43828125	1 Litre

17	<p><b>Flooring (AR0816)</b>  <b>:.Fixing ceramic Tiles (30cmx30cm / 40cmx40cm special plain/printed series ceramic floor tiles of premium grade having thickness 7mm to 8mm confirming to IS 13755) in floor -</b> Fixing ceramic Tiles (30cmx30cm / 40cmx40cm special plain/printed series ceramic floor tiles of premium grade having thickness 7mm to 8mm confirming to IS 13755) in floor , treads or steps and landing on a 25mm thick bed of cement mortar 1:1 (1cement: 1sand) jointed with neat cement slurry mixed with pigment to match the shades of the ceramic tiles including rubbing and polishing, cost of precast tiles complete as per direction of Engineer-in-charge.</p>	-	<b>36.895</b>	Sqm
i)	<b>BRMMR0027</b> : Wax Polish	1	36.895	1 Sqm
ii)	<b>BRM130</b> : Tiles up to 30cm x 30cm / 40cm x 40cm special plain / printed series ceramic floor tiles of premium grade having thickness 7mm to 8mm confirming to IS 13755	1	36.895	1 Sqm.
iii)	<b>BRM340</b> : Cement	0.2737	10.0981615	1 Qntl.
iv)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.013	0.479635	1 Cum

18	<b>Flooring (AR0817a)</b> :.Fixing ceramic Tiles <b>(30cmx30cm / 40cmx40cm special plain/printed series ceramic floor tiles of premium grade having thickness 7mm to 8mm confirming to IS 13755) -</b> Fixing ceramic Tiles (30cmx30cm / 40cmx40cm special plain/printed series ceramic floor tiles of premium grade having thickness 7mm to 8mm confirming to IS 13755) in dados skirting and risers of steps on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the ceramic tiles including rubbing and polishing, cost of precast tiles complete as per direction of Engineer-in-charge	-	9.2325	Sqm
i)	<b>BRMMR0027</b> : Wax Polish	1	9.2325	1 Sqm
ii)	<b>BRM130</b> : Tiles up to 30cm x 30cm / 40cm x 40cm special plain / printed series ceramic floor tiles of premium grade having thickness 7mm to 8mm confirming to IS 13755	1	9.2325	1 Sqm.
iii)	<b>BRM340</b> : Cement	0.1375	1.26946875	1 Qntl.
iv)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.015	0.1384875	1 Cum

Sl.No.	Material Name	Qty	Unit	Rate	Amount
1	<b>BRM029</b>	23.8659	1 Cum	413.05	9857.809995
2	<b>BRM340</b>	136.11744657468	1 Qntl.	597.677	81354.267116418
3	<b>BRM028</b>	26.4044863525	1 Cum	417.24	11017.007885717
4	<b>BRM044</b>	15.143496	1 Cum.	1466.56	22208.84549376
5	<b>BRM060</b>	6.761897802	1 Cum.	1889.98	12779.851607824
6	<b>BRM052</b>	10.142846703	1 Cum.	1853.6	18800.780648681
7	<b>BRM162</b>	15.28	1 Kg.	90.1	1376.728
8	<b>BRM341</b>	22.7748	1 Qntl.	6219.847	141655.7714556

9	<b>BRM104</b>	0.64852363607082	1Cum.	58620.646	38016.87449274
10	<b>BRM092</b>	13.6212804	1Mtr.	276.666	3768.5451631464
11	<b>BRM094</b>	2.6443846153846	1Mtr.	287.666	760.69954476923
12	<b>BRM084</b>	36.956292063492	1Mtr	297.726	11002.849010895
13	<b>BRMMR0025</b>	22.146585	1 Cum	33	730.837305
14	<b>BRM006</b>	8858.634	1000 Nos	5.4818	48561.2598612
15	<b>BRM255</b>	10.173125	1 Ltr	195.15677	1985.3542158063
16	<b>BRM252</b>	17.758272	1 Ltr	125.86677	2235.1763374214
17	<b>BRM142</b>	32.50575	1 Kg.	70.46677	2290.5752089275
18	<b>BRM137</b>	1.4853375	1 Litre	137.96677	204.92721723488
19	<b>BRM141</b>	3.43828125	1 Litre	205.70677	707.27773028906
20	<b>BRMMR0027</b>	46.1275	1 Sqm	8.5	392.08375
21	<b>BRM130</b>	46.1275	1 Sqm.	462.9538891	21354.90551946
<b>Total: 431062.42755989</b>					