

ESTIMATION DPR							
State	Odisha	District	Koraput	Block	Kotpad	Gram Panchayat	Kusumi

Work Code	OD/363/3472/119823/428195/00035184 (Repair and Maint of Primary School Building at Bandhaguda)
Project Category	Building

Financial Year	2025-26	Execution Level	PS
Executing Agency	Panchayat Samiti, Kotpad	Proposal Date	-
Date of Commencement	27-02-2026	Date of Completion	-
Scheme Name	5th SFC Grant in Aid	Scheme Component Name	Maintenance of Primary School Building
Project Sub-Category	Elementary School	Project Type	Repair and Maintenance
Name of Executant	shyamaghana kisan		

Administrative Approval Details

Approval No.	OD/363/3472/119823/428195/00035184/AS
---------------------	---------------------------------------

Technical Sanction Details

Technical Sanction No.	OD/363/3472/119823/428195/00035184/TS
Fund Sanction No.	34989
Fund Sanction Amount (in Rs.)	300000

MATERIAL STATEMENT

Sl.No.	Activity Name/Material	Qty/unit (B=Analysis Basic Qty/Header Unit)	Quantity (Meaurement Qty)	Unit
1	Earth Work (AR0115) :.Filling foundation and plinth with sand well watered and rammed - Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T & P required for the work etc. complete and as per direction of Engineer-in charge.	-	9.1125	Cum
i)	BRM029 : Sand for filling and road blinding	1	9.1125	1 Cum

2	<p>Concrete (AR0303) :.Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.</p>	-	2.275	Cum
i)	BRM340 : Cement	2.29	5.20975	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.48	1.092	1 Cum
iii)	BRM044 : Granite Stone broken metal 40mm. size (Crusher broken)	0.96	2.184	1 Cum.
3	<p>R.C.C. Work (AR0404Ad) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Lintels)</p>	-	0.7245	Cum
i)	BRM340 : Cement	3.4733	2.51640585	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	0.326025	1 Cum

iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	0.26082	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	0.39123	1 Cum.
v)	BRM094 : Non-sal bullahs 125mm. mean dia of any length.	3.7695	2.73100275	1Mtr.
vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0741335	0.05370972075	1Cum.
4	Masonry Brick Work (AR0603ai) :.K.B. Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in superstructure - Brickwork with K.B. Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm ² with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.	-	3.86055	Cum
i)	BRMMR0025 : SCAFFOLDING CHARGES FOR BRICK MASONRY WORK	1	3.86055	1 Cum
ii)	BRM004 : K.B. bricks (23 Cm. x 11Cm. x 8Cm.) having crushing strength not less than 75 Kg./Cm ² with dimensional tolerance ± 8 percent.	400	1544.22	1000 Nos

iii)	BRM340 : Cement	0.672	2.5942896	1 Qntl.
iv)	BRM028 : Screened and washed sharp sand for mortar	0.28	1.080954	1 Cum
5	<p>R.C.C. Work (AR0404Af) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Sun sheds & Chajja)</p>	-	1.95	Sqm
i)	BRM340 : Cement	0.21708125	0.4233084375	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.028125	0.05484375	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.0225	0.043875	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.03375	0.0658125	1 Cum.
v)	BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	0.68432	1.334424	1Mtr

vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.00552344	0.010770708	1Cum.
6	R.C.C. Work (AR0404Ac) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge. (RCC Beams, Column, Girder & Bressmer etc)	-	1.57596	Cum
i)	BRM340 : Cement	3.4733	5.473781868	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	0.709182	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	0.5673456	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	0.8510184	1 Cum.
v)	BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	4.4196	6.965112816	1Mtr

vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.041529	0.06544804284	1Cum.
7	R.C.C. Work (AR0404Ag) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Roof slab, landing, balcony, sun shade)	-	3.71952	Cum
i)	BRM340 : Cement	3.4733	12.919008816	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	1.673784	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	1.3390272	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	2.0085408	1 Cum.
v)	BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	6.2216	23.141365632	1Mtr

vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0502172	0.186783879744	1Cum.
8	R.C.C. Work (AR0409) :.Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position - Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge.	-	5	Qntl
i)	BRM162 : Binding Wire.	0.8	4	1 Kg.
ii)	BRM341 : Steel	1.05	5.25	1 Qntl.
9	Concrete (AR0317) :.2.5 cm thick grading concrete (1:2:2) on roof slab with 6mm size hard granite chips - 2.5 cm thick grading concrete (1:2:2) on roof slab with 6mm size hard granite chips including hoisting and laying in position compacting and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete as per specificaion and direction of Engineer-in charge. (new work)	-	30.24	Sqm
i)	BRM340 : Cement	0.1208	3.652992	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.0169	0.511056	1 Cum
iii)	BRM064 : Granite stone broken chips of 4.7 mm size passing through 6.7 mm sieve (crusher broken.) and retained on 2.36 mm sieve.	0.0169	0.511056	1 Cum.

10	Iron Work(AR1704) :.Iron Doors and windows fixing - Supplying, fitting & fixing of Mild steel and put up for frames & shutters of Doors and windows fixing in position with cost, conveyance, taxes of all materials, labours and T & P required for the work etc. as per direction of Engineer-in-charge.	-	2.178	Qntl
i)	BRM341 : Steel	1	2.178	1 Qntl.
11	Plastering (AR1014) :.16mm thick cement Plaster in CM (1:6) over brick work in inside. - 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc comp.and as per direction of Engineer-in-charge.	-	58.544	Sqm
i)	BRM340 : Cement	0.043	2.517392	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.018	1.053792	1 Cum
12	Plastering (AR1004) :.12mm thick cement plaster (1:6) over Brick work in inside - 12mm thick cement plaster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc. comp.and as per direction of Engineer-in-charge.	-	76.374	Sqm
i)	BRM340 : Cement	0.0358	2.7341892	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.015	1.14561	1 Cum

13	<p>Other Building Items. (AR1901B) :.Vitrified Tile 600mmx600mm Plain Ivory - Supplying, fitting & fixing Vitrified Tile 600mmx600mm Plain Ivory in floors of size 600mm x 600 mm of approved make conforming IS:13755 laid on 20 mm thick cement mortar(1:4)and filling joints with white cement of approved quality including cost of all materials, taxes, labour, T&P , etc. required for the work all complete as per direction of Engineer-in-charge(for new work only)</p>	-	23.2264	Sqm
i)	BRM174 : White Cement.	0.0076	0.17652064	1Qntl
ii)	BRM340 : Cement	0.1074	2.49451536	1 Qntl.
iii)	BRM028 : Screened and washed sharp sand for mortar	0.021	0.4877544	1 Cum
iv)	BRM131 : Tiles up to Polished Vitrified floor tiles of premium grade having thickness 8 mm to 10mm confirming to IS 15622:2006 (Group-B la) of sizes Vitrified Tile 600mmx600mm Plain (Ivory)	1	23.2264	1 Sqm.

14	<p>Flooring (AR0817aa) :.Fixing Vitrified tiles of premium grade having thickness 8mm to 10mm confirming to IS 13756 of size 600mmx600mm plain (Ivory) in dados skirting and risers of steps on 12mm thick cement plaster (1:3) - Fixing Vitrified tiles of premium grade having thickness 8mm to 10mm confirming to IS 13756 of size 600mmx600mm plain (Ivory) in dados skirting and risers of steps on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the Vitrified tiles including rubbing and polishing complete including cost of precast tiles.</p>	-	2.832	Sqm
i)	<p>BRM131 : Tiles up to Polished Vitrified floor tiles of premium grade having thickness 8 mm to 10mm confirming to IS 15622:2006 (Group-B la) of sizes Vitrified Tile 600mmx600mm Plain (Ivory)</p>	1	2.832	1 Sqm.
ii)	<p>BRMMR0027 : Wax Polish</p>	1	2.832	1 Sqm
iii)	<p>BRM340 : Cement</p>	0.1375	0.3894	1 Qntl.
iv)	<p>BRM028 : Screened and washed sharp sand for mortar</p>	0.015	0.04248	1 Cum
15	<p>Painting(AR0901d) :.Priming one coat with inner surface primer of approved quality water-bound primer over plastering surfaces (Inner surface) - Priming one coat with inner surface primer of approved quality water-bound primer over plastering surfaces including cost conveyance, taxes of all materials, labor and T&P required for the work complete as per direction of the Engineer-in-charge.</p>	-	58.54	Sqm

i)	BRM253 : Wall cement primer (I.S.I.) Water bound	0.084	4.91736	1 Ltr
16	Painting(AR0901di) :.Priming one coat with outer surface primer of approved quality water-bound primer over plastering surfaces(outer surface) - Priming one coat with outer surface primer of approved quality water-bound primer over plastering surfaces including cost conveyance, taxes of all materials, labor and T&P required for the work complete as per direction of the Engineer-in-charge.	-	76.37	Sqm
i)	BRM253 : Wall cement primer (I.S.I.) Water bound	0.090322580645161	6.897935483871	1 Ltr
17	Painting(AR0920) :.Finishing wall two coats with plastic emulsion paint of approved shades on new work (Inside) - Finishing wall two coats with plastic emulsion paint of approved shades on new work to give an even shade including all costs of labor, Paint and Brushes required for the work, etc. complete and as per direction of the Engineer-in-charge.(Inside)	-	58.54	Sqm
i)	BRM140 : Plastic Emulsion paint	0.125	7.3175	1 Litre
18	Painting(AR0918i) :.Two coat waterproofing cement paint on the outer surface - Finishing wall waterproofing cement paint on the outer surface of approved shade on new work two coats to give an even shade including all costs of labour, Paint and Brushes required for the work, etc. complete and as per direction of Engineer-in-charge.	-	76.37	Sqm

i)	BRM143 : Cement paint	0.25	19.0925	1 Kg.
19	Painting(AR0901b) :.Priming one coat in inner surface with primer of approved quality over iron work. - Priming one coat in inner surface with primer of approved quality over iron work including cost conveyance, taxes of all materials, labor and T&P required for the work complete as per direction of the Engineer-in-charge.	-	12.87	Sqm
i)	BRM137 : Red oxide Primer	0.054	0.69498	1 Litre
20	Painting(AR0903i) :.Painting two coats of enamel paint in outer surface paint (outer surface) - Painting two coats of enamel paint in outer surface paint including all costs of labour, Paint and brushes required for the work etc. complete and as per direction of Engineer-in-charge.(Outside)	-	12.87	Sqm
i)	BRM141 : Enamel paint	0.125	1.60875	1 Litre
21	Flooring (AR0816j) :.Fixing Chequered Tiles in floor , treads or steps and landing on a 25mm thick bed of cement mortar 1:1 - Fixing Chequered Tiles in floor , treads or steps and landing on a 25mm thick bed of cement mortar 1:1 (1cement: 1sand) jointed with neat cement slurry mixed with pigment to match the shades of the Chequered tiles including rubbing and polishing, cost of precast tiles complete as per direction of Engineer-in-charge.	-	2.25	Sqm
i)	BRM134 : Chequered Tiles.	1	2.25	1 Sqm.
ii)	BRMMR0027 : Wax Polish	1	2.25	1 Sqm

iii)	BRM340 : Cement	0.2737	0.615825	1 Qntl.
iv)	BRM028 : Screened and washed sharp sand for mortar	0.013	0.02925	1 Cum

Sl.No.	Material Name	Qty	Unit	Rate	Amount
1	BRM029	9.1125	1 Cum	543.25	4950.365625
2	BRM340	41.5408581315	1 Qntl.	588.992	24467.233112588
3	BRM028	8.20673115	1 Cum	547.17	4490.4770833455
4	BRM044	2.184	1 Cum.	1726.96	3771.68064
5	BRM060	2.2110678	1 Cum.	2150.38	4754.635975764
6	BRM052	3.3166017	1 Cum.	2114	7011.2959938
7	BRM094	2.73100275	1Mtr.	287.666	785.6166370815
8	BRM104	0.316712351334	1Cum.	58620.646	18565.882631378
9	BRMMR0025	3.86055	1 Cum	33	127.39815
10	BRM004	1544.22	1000 Nos	6.52824	10081.0387728
11	BRM084	31.440902448	1Mtr	297.726	9360.7741222332
12	BRM162	4	1 Kg.	90.1	360.4
13	BRM341	7.428	1 Qntl.	6422.452	47705.973456
14	BRM064	0.511056	1 Cum.	1581.91	808.44459696
15	BRM174	0.17652064	1Qntl	2059.802	363.59756731328
16	BRM131	26.0584	1 Sqm.	665.5902781	17344.217702841
17	BRMMR0027	5.082	1 Sqm	8.5	43.197
18	BRM253	11.815295483871	1 Ltr	159.45622	1884.0223560411
19	BRM140	7.3175	1 Litre	249.76622	1827.66431485
20	BRM143	19.0925	1 Kg.	48.25622	921.33188035
21	BRM137	0.69498	1 Litre	137.54622	95.5918719756
22	BRM141	1.60875	1 Litre	205.58622	330.736831425
23	BRM134	2.25	1 Sqm.	230.67	519.0075

Total: 160570.58382175